

**OFOX 34783****Gage Table Information**Reporting Marks: **OFOX 34783**

Trinity File Number: 9156

Capacity: 33,730 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 180

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,370	20.25	3,739	30.25	6,676
0.50	15	10.50	1,420	20.50	3,807	30.50	6,755
0.75	27	10.75	1,470	20.75	3,875	30.75	6,834
1.00	42	11.00	1,521	21.00	3,943	31.00	6,913
1.25	59	11.25	1,573	21.25	4,011	31.25	6,993
1.50	77	11.50	1,625	21.50	4,080	31.50	7,072
1.75	97	11.75	1,678	21.75	4,150	31.75	7,152
2.00	119	12.00	1,731	22.00	4,219	32.00	7,232
2.25	142	12.25	1,785	22.25	4,289	32.25	7,313
2.50	166	12.50	1,839	22.50	4,359	32.50	7,393
2.75	192	12.75	1,894	22.75	4,430	32.75	7,474
3.00	218	13.00	1,949	23.00	4,500	33.00	7,555
3.25	246	13.25	2,004	23.25	4,572	33.25	7,636
3.50	275	13.50	2,061	23.50	4,643	33.50	7,717
3.75	305	13.75	2,117	23.75	4,715	33.75	7,799
4.00	336	14.00	2,174	24.00	4,787	34.00	7,881
4.25	368	14.25	2,232	24.25	4,859	34.25	7,963
4.50	401	14.50	2,290	24.50	4,932	34.50	8,045
4.75	435	14.75	2,348	24.75	5,005	34.75	8,127
5.00	469	15.00	2,407	25.00	5,078	35.00	8,209
5.25	505	15.25	2,467	25.25	5,151	35.25	8,292
5.50	541	15.50	2,527	25.50	5,225	35.50	8,375
5.75	578	15.75	2,587	25.75	5,299	35.75	8,458
6.00	616	16.00	2,647	26.00	5,373	36.00	8,541
6.25	655	16.25	2,709	26.25	5,448	36.25	8,624
6.50	695	16.50	2,770	26.50	5,523	36.50	8,708
6.75	735	16.75	2,832	26.75	5,598	36.75	8,792
7.00	776	17.00	2,894	27.00	5,673	37.00	8,876
7.25	818	17.25	2,957	27.25	5,749	37.25	8,960
7.50	860	17.50	3,020	27.50	5,825	37.50	9,044
7.75	903	17.75	3,084	27.75	5,901	37.75	9,128
8.00	947	18.00	3,147	28.00	5,978	38.00	9,213
8.25	992	18.25	3,212	28.25	6,054	38.25	9,297
8.50	1,037	18.50	3,276	28.50	6,131	38.50	9,382
8.75	1,082	18.75	3,341	28.75	6,208	38.75	9,467
9.00	1,129	19.00	3,407	29.00	6,286	39.00	9,552
9.25	1,176	19.25	3,473	29.25	6,363	39.25	9,638
9.50	1,223	19.50	3,539	29.50	6,441	39.50	9,723
9.75	1,272	19.75	3,605	29.75	6,519	39.75	9,809

**OFOX 34783****Gage Table Information**Reporting Marks: **OFOX 34783**

Trinity File Number: 9156

Capacity: 33,730 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 180

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,980	50.25	13,508	60.25	17,138	70.25	20,761
40.50	10,066	50.50	13,598	60.50	17,230	70.50	20,850
40.75	10,152	50.75	13,688	60.75	17,321	70.75	20,940
41.00	10,239	51.00	13,778	61.00	17,412	71.00	21,029
41.25	10,325	51.25	13,868	61.25	17,503	71.25	21,118
41.50	10,411	51.50	13,958	61.50	17,594	71.50	21,208
41.75	10,498	51.75	14,048	61.75	17,685	71.75	21,297
42.00	10,585	52.00	14,139	62.00	17,776	72.00	21,386
42.25	10,672	52.25	14,229	62.25	17,867	72.25	21,475
42.50	10,759	52.50	14,320	62.50	17,958	72.50	21,564
42.75	10,846	52.75	14,410	62.75	18,049	72.75	21,652
43.00	10,933	53.00	14,501	63.00	18,140	73.00	21,741
43.25	11,021	53.25	14,591	63.25	18,231	73.25	21,829
43.50	11,108	53.50	14,682	63.50	18,322	73.50	21,918
43.75	11,196	53.75	14,772	63.75	18,413	73.75	22,006
44.00	11,284	54.00	14,863	64.00	18,504	74.00	22,095
44.25	11,371	54.25	14,954	64.25	18,595	74.25	22,183
44.50	11,459	54.50	15,045	64.50	18,685	74.50	22,271
44.75	11,547	54.75	15,135	64.75	18,776	74.75	22,359
45.00	11,636	55.00	15,226	65.00	18,867	75.00	22,447
45.25	11,724	55.25	15,317	65.25	18,958	75.25	22,534
45.50	11,812	55.50	15,408	65.50	19,048	75.50	22,622
45.75	11,901	55.75	15,499	65.75	19,139	75.75	22,709
46.00	11,989	56.00	15,590	66.00	19,229	76.00	22,797
46.25	12,078	56.25	15,681	66.25	19,320	76.25	22,884
46.50	12,167	56.50	15,772	66.50	19,410	76.50	22,971
46.75	12,255	56.75	15,863	66.75	19,501	76.75	23,058
47.00	12,344	57.00	15,954	67.00	19,591	77.00	23,145
47.25	12,433	57.25	16,045	67.25	19,682	77.25	23,232
47.50	12,522	57.50	16,136	67.50	19,772	77.50	23,319
47.75	12,612	57.75	16,227	67.75	19,862	77.75	23,405
48.00	12,701	58.00	16,318	68.00	19,952	78.00	23,492
48.25	12,790	58.25	16,409	68.25	20,042	78.25	23,578
48.50	12,880	58.50	16,501	68.50	20,132	78.50	23,664
48.75	12,969	58.75	16,592	68.75	20,222	78.75	23,750
49.00	13,059	59.00	16,683	69.00	20,312	79.00	23,836
49.25	13,148	59.25	16,774	69.25	20,402	79.25	23,921
49.50	13,238	59.50	16,865	69.50	20,492	79.50	24,007
49.75	13,328	59.75	16,956	69.75	20,582	79.75	24,092
50.00	13,418	60.00	17,047	70.00	20,671	80.00	24,178

**OFOX 34783****Gage Table Information**Reporting Marks: **OFOX 34783**

Trinity File Number: 9156

Capacity: 33,730 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 180

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,263	90.25	27,522	100.25	30,389	110.25	32,648
80.50	24,348	90.50	27,599	100.50	30,454	110.50	32,693
80.75	24,433	90.75	27,676	100.75	30,518	110.75	32,738
81.00	24,517	91.00	27,752	101.00	30,583	111.00	32,783
81.25	24,602	91.25	27,829	101.25	30,646	111.25	32,827
81.50	24,686	91.50	27,905	101.50	30,710	111.50	32,870
81.75	24,770	91.75	27,981	101.75	30,773	111.75	32,912
82.00	24,854	92.00	28,057	102.00	30,836	112.00	32,954
82.25	24,938	92.25	28,132	102.25	30,898	112.25	32,995
82.50	25,022	92.50	28,207	102.50	30,960	112.50	33,035
82.75	25,106	92.75	28,282	102.75	31,022	112.75	33,075
83.00	25,189	93.00	28,357	103.00	31,083	113.00	33,114
83.25	25,272	93.25	28,431	103.25	31,143	113.25	33,152
83.50	25,355	93.50	28,505	103.50	31,204	113.50	33,189
83.75	25,438	93.75	28,579	103.75	31,263	113.75	33,225
84.00	25,521	94.00	28,652	104.00	31,323	114.00	33,261
84.25	25,603	94.25	28,725	104.25	31,382	114.25	33,296
84.50	25,685	94.50	28,798	104.50	31,440	114.50	33,329
84.75	25,768	94.75	28,871	104.75	31,498	114.75	33,362
85.00	25,849	95.00	28,943	105.00	31,556	115.00	33,394
85.25	25,931	95.25	29,015	105.25	31,613	115.25	33,425
85.50	26,013	95.50	29,087	105.50	31,669	115.50	33,455
85.75	26,094	95.75	29,158	105.75	31,726	115.75	33,484
86.00	26,175	96.00	29,230	106.00	31,781	116.00	33,512
86.25	26,256	96.25	29,300	106.25	31,837	116.25	33,539
86.50	26,337	96.50	29,371	106.50	31,891	116.50	33,564
86.75	26,417	96.75	29,441	106.75	31,945	116.75	33,588
87.00	26,498	97.00	29,511	107.00	31,999	117.00	33,611
87.25	26,578	97.25	29,580	107.25	32,052	117.25	33,633
87.50	26,658	97.50	29,650	107.50	32,105	117.50	33,653
87.75	26,737	97.75	29,719	107.75	32,157	117.75	33,671
88.00	26,817	98.00	29,787	108.00	32,209	118.00	33,688
88.25	26,896	98.25	29,855	108.25	32,260	118.25	33,703
88.50	26,975	98.50	29,923	108.50	32,310	118.50	33,715
88.75	27,054	98.75	29,991	108.75	32,360	118.75	33,725
89.00	27,132	99.00	30,058	109.00	32,410	119.00	33,730
89.25	27,211	99.25	30,125	109.25	32,458		
89.50	27,289	99.50	30,191	109.50	32,507		
89.75	27,367	99.75	30,257	109.75	32,554		
90.00	27,444	100.00	30,323	110.00	32,601		

