

**OFOX 34785****Gage Table Information**Reporting Marks: **OFOX 34785**

Trinity File Number: 9156

Capacity: 33,695 Gallons

Tare Weight: 99,700 lb.

Max. Weight On Rail: Not Available

Tank Number: 182

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,368	20.25	3,735	30.25	6,669
0.50	14	10.50	1,418	20.50	3,802	30.50	6,748
0.75	27	10.75	1,468	20.75	3,870	30.75	6,827
1.00	41	11.00	1,519	21.00	3,938	31.00	6,906
1.25	58	11.25	1,571	21.25	4,007	31.25	6,985
1.50	77	11.50	1,623	21.50	4,076	31.50	7,065
1.75	97	11.75	1,676	21.75	4,145	31.75	7,145
2.00	118	12.00	1,729	22.00	4,214	32.00	7,225
2.25	141	12.25	1,782	22.25	4,284	32.25	7,305
2.50	165	12.50	1,836	22.50	4,354	32.50	7,385
2.75	191	12.75	1,891	22.75	4,425	32.75	7,466
3.00	218	13.00	1,946	23.00	4,495	33.00	7,547
3.25	245	13.25	2,002	23.25	4,566	33.25	7,628
3.50	274	13.50	2,058	23.50	4,638	33.50	7,709
3.75	304	13.75	2,115	23.75	4,709	33.75	7,790
4.00	335	14.00	2,172	24.00	4,781	34.00	7,872
4.25	367	14.25	2,229	24.25	4,854	34.25	7,954
4.50	400	14.50	2,287	24.50	4,926	34.50	8,036
4.75	434	14.75	2,346	24.75	4,999	34.75	8,118
5.00	468	15.00	2,404	25.00	5,072	35.00	8,200
5.25	504	15.25	2,464	25.25	5,146	35.25	8,283
5.50	540	15.50	2,523	25.50	5,219	35.50	8,366
5.75	577	15.75	2,584	25.75	5,293	35.75	8,449
6.00	615	16.00	2,644	26.00	5,367	36.00	8,532
6.25	654	16.25	2,705	26.25	5,442	36.25	8,615
6.50	694	16.50	2,767	26.50	5,517	36.50	8,699
6.75	734	16.75	2,829	26.75	5,592	36.75	8,782
7.00	775	17.00	2,891	27.00	5,667	37.00	8,866
7.25	816	17.25	2,953	27.25	5,743	37.25	8,950
7.50	859	17.50	3,016	27.50	5,819	37.50	9,034
7.75	902	17.75	3,080	27.75	5,895	37.75	9,118
8.00	946	18.00	3,144	28.00	5,971	38.00	9,203
8.25	990	18.25	3,208	28.25	6,048	38.25	9,287
8.50	1,035	18.50	3,273	28.50	6,124	38.50	9,372
8.75	1,081	18.75	3,338	28.75	6,201	38.75	9,457
9.00	1,127	19.00	3,403	29.00	6,279	39.00	9,542
9.25	1,174	19.25	3,469	29.25	6,356	39.25	9,627
9.50	1,222	19.50	3,535	29.50	6,434	39.50	9,713
9.75	1,270	19.75	3,601	29.75	6,512	39.75	9,798

**OFOX 34785****Gage Table Information**Reporting Marks: **OFOX 34785**

Trinity File Number: 9156

Capacity: 33,695 Gallons

Tare Weight: 99,700 lb.

Max. Weight On Rail: Not Available

Tank Number: 182

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,969	50.25	13,493	60.25	17,120	70.25	20,739
40.50	10,055	50.50	13,583	60.50	17,211	70.50	20,829
40.75	10,141	50.75	13,673	60.75	17,302	70.75	20,918
41.00	10,228	51.00	13,763	61.00	17,394	71.00	21,007
41.25	10,314	51.25	13,853	61.25	17,485	71.25	21,096
41.50	10,400	51.50	13,943	61.50	17,575	71.50	21,186
41.75	10,487	51.75	14,034	61.75	17,666	71.75	21,275
42.00	10,574	52.00	14,124	62.00	17,757	72.00	21,363
42.25	10,660	52.25	14,214	62.25	17,848	72.25	21,452
42.50	10,747	52.50	14,304	62.50	17,939	72.50	21,541
42.75	10,834	52.75	14,395	62.75	18,030	72.75	21,630
43.00	10,922	53.00	14,485	63.00	18,121	73.00	21,718
43.25	11,009	53.25	14,576	63.25	18,212	73.25	21,807
43.50	11,096	53.50	14,666	63.50	18,303	73.50	21,895
43.75	11,184	53.75	14,757	63.75	18,394	73.75	21,983
44.00	11,271	54.00	14,847	64.00	18,484	74.00	22,072
44.25	11,359	54.25	14,938	64.25	18,575	74.25	22,160
44.50	11,447	54.50	15,029	64.50	18,666	74.50	22,248
44.75	11,535	54.75	15,119	64.75	18,757	74.75	22,335
45.00	11,623	55.00	15,210	65.00	18,847	75.00	22,423
45.25	11,711	55.25	15,301	65.25	18,938	75.25	22,511
45.50	11,800	55.50	15,392	65.50	19,028	75.50	22,598
45.75	11,888	55.75	15,483	65.75	19,119	75.75	22,686
46.00	11,976	56.00	15,574	66.00	19,209	76.00	22,773
46.25	12,065	56.25	15,664	66.25	19,300	76.25	22,860
46.50	12,154	56.50	15,755	66.50	19,390	76.50	22,947
46.75	12,242	56.75	15,846	66.75	19,481	76.75	23,034
47.00	12,331	57.00	15,937	67.00	19,571	77.00	23,121
47.25	12,420	57.25	16,028	67.25	19,661	77.25	23,208
47.50	12,509	57.50	16,119	67.50	19,751	77.50	23,294
47.75	12,598	57.75	16,210	67.75	19,841	77.75	23,381
48.00	12,687	58.00	16,301	68.00	19,931	78.00	23,467
48.25	12,777	58.25	16,392	68.25	20,021	78.25	23,553
48.50	12,866	58.50	16,483	68.50	20,111	78.50	23,639
48.75	12,955	58.75	16,574	68.75	20,201	78.75	23,725
49.00	13,045	59.00	16,665	69.00	20,291	79.00	23,811
49.25	13,134	59.25	16,756	69.25	20,381	79.25	23,897
49.50	13,224	59.50	16,847	69.50	20,471	79.50	23,982
49.75	13,314	59.75	16,938	69.75	20,560	79.75	24,067
50.00	13,403	60.00	17,029	70.00	20,650	80.00	24,153

**OFOX 34785****Gage Table Information**Reporting Marks: **OFOX 34785**

Trinity File Number: 9156

Capacity: 33,695 Gallons

Tare Weight: 99,700 lb.

Max. Weight On Rail: Not Available

Tank Number: 182

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,238	90.25	27,493	100.25	30,357	110.25	32,614
80.50	24,323	90.50	27,570	100.50	30,422	110.50	32,659
80.75	24,407	90.75	27,647	100.75	30,487	110.75	32,704
81.00	24,492	91.00	27,724	101.00	30,551	111.00	32,749
81.25	24,576	91.25	27,800	101.25	30,615	111.25	32,793
81.50	24,661	91.50	27,876	101.50	30,678	111.50	32,836
81.75	24,745	91.75	27,952	101.75	30,741	111.75	32,878
82.00	24,829	92.00	28,028	102.00	30,804	112.00	32,920
82.25	24,912	92.25	28,103	102.25	30,866	112.25	32,961
82.50	24,996	92.50	28,178	102.50	30,928	112.50	33,001
82.75	25,080	92.75	28,253	102.75	30,989	112.75	33,041
83.00	25,163	93.00	28,327	103.00	31,050	113.00	33,079
83.25	25,246	93.25	28,401	103.25	31,111	113.25	33,117
83.50	25,329	93.50	28,475	103.50	31,171	113.50	33,154
83.75	25,412	93.75	28,549	103.75	31,231	113.75	33,191
84.00	25,494	94.00	28,622	104.00	31,290	114.00	33,226
84.25	25,577	94.25	28,696	104.25	31,349	114.25	33,261
84.50	25,659	94.50	28,768	104.50	31,408	114.50	33,295
84.75	25,741	94.75	28,841	104.75	31,465	114.75	33,328
85.00	25,823	95.00	28,913	105.00	31,523	115.00	33,360
85.25	25,904	95.25	28,985	105.25	31,580	115.25	33,390
85.50	25,986	95.50	29,057	105.50	31,637	115.50	33,420
85.75	26,067	95.75	29,128	105.75	31,693	115.75	33,449
86.00	26,148	96.00	29,199	106.00	31,748	116.00	33,477
86.25	26,229	96.25	29,270	106.25	31,804	116.25	33,504
86.50	26,309	96.50	29,340	106.50	31,858	116.50	33,529
86.75	26,390	96.75	29,411	106.75	31,912	116.75	33,553
87.00	26,470	97.00	29,480	107.00	31,966	117.00	33,576
87.25	26,550	97.25	29,550	107.25	32,019	117.25	33,598
87.50	26,630	97.50	29,619	107.50	32,072	117.50	33,618
87.75	26,710	97.75	29,688	107.75	32,124	117.75	33,636
88.00	26,789	98.00	29,756	108.00	32,175	118.00	33,653
88.25	26,868	98.25	29,824	108.25	32,226	118.25	33,668
88.50	26,947	98.50	29,892	108.50	32,277	118.50	33,680
88.75	27,026	98.75	29,960	108.75	32,327	118.75	33,690
89.00	27,104	99.00	30,027	109.00	32,376	119.00	33,695
89.25	27,182	99.25	30,094	109.25	32,425		
89.50	27,261	99.50	30,160	109.50	32,473		
89.75	27,338	99.75	30,226	109.75	32,520		
90.00	27,416	100.00	30,292	110.00	32,567		

