

**OFOX 34792****Gage Table Information**Reporting Marks: **OFOX 34792**

Trinity File Number: 9156

Capacity: 33,685 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 189

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,368	20.25	3,735	30.25	6,668
0.50	15	10.50	1,418	20.50	3,802	30.50	6,746
0.75	28	10.75	1,469	20.75	3,870	30.75	6,825
1.00	42	11.00	1,520	21.00	3,938	31.00	6,904
1.25	59	11.25	1,571	21.25	4,006	31.25	6,984
1.50	77	11.50	1,623	21.50	4,075	31.50	7,063
1.75	97	11.75	1,676	21.75	4,144	31.75	7,143
2.00	119	12.00	1,729	22.00	4,214	32.00	7,223
2.25	142	12.25	1,783	22.25	4,284	32.25	7,303
2.50	166	12.50	1,837	22.50	4,354	32.50	7,384
2.75	192	12.75	1,891	22.75	4,424	32.75	7,464
3.00	218	13.00	1,946	23.00	4,495	33.00	7,545
3.25	246	13.25	2,002	23.25	4,566	33.25	7,626
3.50	275	13.50	2,058	23.50	4,637	33.50	7,707
3.75	305	13.75	2,115	23.75	4,709	33.75	7,789
4.00	336	14.00	2,172	24.00	4,781	34.00	7,870
4.25	368	14.25	2,229	24.25	4,853	34.25	7,952
4.50	401	14.50	2,287	24.50	4,925	34.50	8,034
4.75	434	14.75	2,346	24.75	4,998	34.75	8,116
5.00	469	15.00	2,404	25.00	5,071	35.00	8,199
5.25	505	15.25	2,464	25.25	5,145	35.25	8,281
5.50	541	15.50	2,523	25.50	5,218	35.50	8,364
5.75	578	15.75	2,584	25.75	5,292	35.75	8,447
6.00	616	16.00	2,644	26.00	5,367	36.00	8,530
6.25	655	16.25	2,705	26.25	5,441	36.25	8,613
6.50	694	16.50	2,767	26.50	5,516	36.50	8,697
6.75	734	16.75	2,828	26.75	5,591	36.75	8,780
7.00	775	17.00	2,891	27.00	5,666	37.00	8,864
7.25	817	17.25	2,953	27.25	5,742	37.25	8,948
7.50	859	17.50	3,016	27.50	5,817	37.50	9,032
7.75	903	17.75	3,080	27.75	5,894	37.75	9,116
8.00	946	18.00	3,144	28.00	5,970	38.00	9,201
8.25	991	18.25	3,208	28.25	6,046	38.25	9,285
8.50	1,036	18.50	3,272	28.50	6,123	38.50	9,370
8.75	1,081	18.75	3,337	28.75	6,200	38.75	9,455
9.00	1,128	19.00	3,403	29.00	6,278	39.00	9,540
9.25	1,175	19.25	3,468	29.25	6,355	39.25	9,625
9.50	1,222	19.50	3,534	29.50	6,433	39.50	9,710
9.75	1,270	19.75	3,601	29.75	6,511	39.75	9,796

**OFOX 34792****Gage Table Information**Reporting Marks: **OFOX 34792**

Trinity File Number: 9156

Capacity: 33,685 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 189

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,967	50.25	13,490	60.25	17,116	70.25	20,733
40.50	10,053	50.50	13,580	60.50	17,207	70.50	20,823
40.75	10,139	50.75	13,670	60.75	17,298	70.75	20,912
41.00	10,225	51.00	13,760	61.00	17,389	71.00	21,001
41.25	10,311	51.25	13,850	61.25	17,480	71.25	21,091
41.50	10,398	51.50	13,940	61.50	17,571	71.50	21,180
41.75	10,484	51.75	14,030	61.75	17,662	71.75	21,269
42.00	10,571	52.00	14,120	62.00	17,753	72.00	21,357
42.25	10,658	52.25	14,210	62.25	17,844	72.25	21,446
42.50	10,745	52.50	14,301	62.50	17,934	72.50	21,535
42.75	10,832	52.75	14,391	62.75	18,025	72.75	21,624
43.00	10,919	53.00	14,481	63.00	18,116	73.00	21,712
43.25	11,006	53.25	14,572	63.25	18,207	73.25	21,801
43.50	11,094	53.50	14,662	63.50	18,298	73.50	21,889
43.75	11,181	53.75	14,753	63.75	18,389	73.75	21,977
44.00	11,269	54.00	14,844	64.00	18,479	74.00	22,065
44.25	11,356	54.25	14,934	64.25	18,570	74.25	22,153
44.50	11,444	54.50	15,025	64.50	18,661	74.50	22,241
44.75	11,532	54.75	15,115	64.75	18,751	74.75	22,329
45.00	11,620	55.00	15,206	65.00	18,842	75.00	22,417
45.25	11,708	55.25	15,297	65.25	18,933	75.25	22,504
45.50	11,797	55.50	15,388	65.50	19,023	75.50	22,592
45.75	11,885	55.75	15,479	65.75	19,114	75.75	22,679
46.00	11,973	56.00	15,569	66.00	19,204	76.00	22,767
46.25	12,062	56.25	15,660	66.25	19,294	76.25	22,854
46.50	12,151	56.50	15,751	66.50	19,385	76.50	22,941
46.75	12,239	56.75	15,842	66.75	19,475	76.75	23,028
47.00	12,328	57.00	15,933	67.00	19,565	77.00	23,114
47.25	12,417	57.25	16,024	67.25	19,656	77.25	23,201
47.50	12,506	57.50	16,115	67.50	19,746	77.50	23,288
47.75	12,595	57.75	16,206	67.75	19,836	77.75	23,374
48.00	12,684	58.00	16,297	68.00	19,926	78.00	23,460
48.25	12,773	58.25	16,388	68.25	20,016	78.25	23,547
48.50	12,863	58.50	16,479	68.50	20,106	78.50	23,633
48.75	12,952	58.75	16,570	68.75	20,196	78.75	23,718
49.00	13,041	59.00	16,661	69.00	20,285	79.00	23,804
49.25	13,131	59.25	16,752	69.25	20,375	79.25	23,890
49.50	13,221	59.50	16,843	69.50	20,465	79.50	23,975
49.75	13,310	59.75	16,934	69.75	20,554	79.75	24,061
50.00	13,400	60.00	17,025	70.00	20,644	80.00	24,146

**OFOX 34792****Gage Table Information**Reporting Marks: **OFOX 34792**

Trinity File Number: 9156

Capacity: 33,685 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 189

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,231	90.25	27,485	100.25	30,348	110.25	32,604
80.50	24,316	90.50	27,562	100.50	30,413	110.50	32,650
80.75	24,400	90.75	27,639	100.75	30,478	110.75	32,695
81.00	24,485	91.00	27,716	101.00	30,542	111.00	32,739
81.25	24,569	91.25	27,792	101.25	30,606	111.25	32,783
81.50	24,654	91.50	27,868	101.50	30,669	111.50	32,826
81.75	24,738	91.75	27,944	101.75	30,732	111.75	32,868
82.00	24,822	92.00	28,019	102.00	30,795	112.00	32,910
82.25	24,905	92.25	28,095	102.25	30,857	112.25	32,951
82.50	24,989	92.50	28,170	102.50	30,919	112.50	32,991
82.75	25,072	92.75	28,244	102.75	30,980	112.75	33,031
83.00	25,156	93.00	28,319	103.00	31,041	113.00	33,070
83.25	25,239	93.25	28,393	103.25	31,102	113.25	33,107
83.50	25,322	93.50	28,467	103.50	31,162	113.50	33,145
83.75	25,404	93.75	28,541	103.75	31,222	113.75	33,181
84.00	25,487	94.00	28,614	104.00	31,281	114.00	33,216
84.25	25,569	94.25	28,687	104.25	31,340	114.25	33,251
84.50	25,651	94.50	28,760	104.50	31,398	114.50	33,285
84.75	25,733	94.75	28,833	104.75	31,456	114.75	33,318
85.00	25,815	95.00	28,905	105.00	31,514	115.00	33,350
85.25	25,897	95.25	28,977	105.25	31,571	115.25	33,381
85.50	25,978	95.50	29,048	105.50	31,627	115.50	33,410
85.75	26,059	95.75	29,120	105.75	31,683	115.75	33,439
86.00	26,140	96.00	29,191	106.00	31,739	116.00	33,467
86.25	26,221	96.25	29,261	106.25	31,794	116.25	33,494
86.50	26,302	96.50	29,332	106.50	31,849	116.50	33,519
86.75	26,382	96.75	29,402	106.75	31,903	116.75	33,544
87.00	26,462	97.00	29,472	107.00	31,957	117.00	33,566
87.25	26,542	97.25	29,541	107.25	32,010	117.25	33,588
87.50	26,622	97.50	29,610	107.50	32,062	117.50	33,608
87.75	26,702	97.75	29,679	107.75	32,114	117.75	33,626
88.00	26,781	98.00	29,748	108.00	32,166	118.00	33,643
88.25	26,860	98.25	29,816	108.25	32,217	118.25	33,658
88.50	26,939	98.50	29,883	108.50	32,267	118.50	33,670
88.75	27,018	98.75	29,951	108.75	32,317	118.75	33,680
89.00	27,096	99.00	30,018	109.00	32,366	119.00	33,685
89.25	27,175	99.25	30,085	109.25	32,415		
89.50	27,253	99.50	30,151	109.50	32,463		
89.75	27,330	99.75	30,217	109.75	32,511		
90.00	27,408	100.00	30,283	110.00	32,558		

