

**OFOX 34793****Gage Table Information**Reporting Marks: **OFOX 34793**

Trinity File Number: 9156

Capacity: 33,723 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: Not Available

Tank Number: 190

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,370	20.25	3,739	30.25	6,675
0.50	15	10.50	1,420	20.50	3,806	30.50	6,754
0.75	28	10.75	1,470	20.75	3,874	30.75	6,833
1.00	42	11.00	1,521	21.00	3,942	31.00	6,912
1.25	59	11.25	1,573	21.25	4,011	31.25	6,992
1.50	78	11.50	1,625	21.50	4,080	31.50	7,071
1.75	98	11.75	1,678	21.75	4,149	31.75	7,151
2.00	119	12.00	1,731	22.00	4,219	32.00	7,231
2.25	142	12.25	1,785	22.25	4,288	32.25	7,312
2.50	166	12.50	1,839	22.50	4,359	32.50	7,392
2.75	192	12.75	1,894	22.75	4,429	32.75	7,473
3.00	219	13.00	1,949	23.00	4,500	33.00	7,554
3.25	246	13.25	2,004	23.25	4,571	33.25	7,635
3.50	275	13.50	2,061	23.50	4,642	33.50	7,716
3.75	305	13.75	2,117	23.75	4,714	33.75	7,798
4.00	336	14.00	2,174	24.00	4,786	34.00	7,879
4.25	368	14.25	2,232	24.25	4,858	34.25	7,961
4.50	401	14.50	2,290	24.50	4,931	34.50	8,043
4.75	435	14.75	2,348	24.75	5,004	34.75	8,126
5.00	470	15.00	2,407	25.00	5,077	35.00	8,208
5.25	505	15.25	2,467	25.25	5,151	35.25	8,291
5.50	541	15.50	2,526	25.50	5,224	35.50	8,373
5.75	579	15.75	2,587	25.75	5,298	35.75	8,456
6.00	617	16.00	2,647	26.00	5,373	36.00	8,540
6.25	655	16.25	2,708	26.25	5,447	36.25	8,623
6.50	695	16.50	2,770	26.50	5,522	36.50	8,706
6.75	735	16.75	2,832	26.75	5,597	36.75	8,790
7.00	776	17.00	2,894	27.00	5,673	37.00	8,874
7.25	818	17.25	2,957	27.25	5,748	37.25	8,958
7.50	860	17.50	3,020	27.50	5,824	37.50	9,042
7.75	904	17.75	3,083	27.75	5,900	37.75	9,127
8.00	947	18.00	3,147	28.00	5,977	38.00	9,211
8.25	992	18.25	3,211	28.25	6,053	38.25	9,296
8.50	1,037	18.50	3,276	28.50	6,130	38.50	9,381
8.75	1,083	18.75	3,341	28.75	6,207	38.75	9,465
9.00	1,129	19.00	3,406	29.00	6,285	39.00	9,551
9.25	1,176	19.25	3,472	29.25	6,362	39.25	9,636
9.50	1,224	19.50	3,538	29.50	6,440	39.50	9,721
9.75	1,272	19.75	3,605	29.75	6,518	39.75	9,807

**OFOX 34793****Gage Table Information**Reporting Marks: **OFOX 34793**

Trinity File Number: 9156

Capacity: 33,723 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: Not Available

Tank Number: 190

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,978	50.25	13,505	60.25	17,135	70.25	20,757
40.50	10,064	50.50	13,595	60.50	17,226	70.50	20,846
40.75	10,150	50.75	13,685	60.75	17,317	70.75	20,936
41.00	10,237	51.00	13,775	61.00	17,408	71.00	21,025
41.25	10,323	51.25	13,865	61.25	17,499	71.25	21,114
41.50	10,410	51.50	13,955	61.50	17,591	71.50	21,203
41.75	10,496	51.75	14,046	61.75	17,682	71.75	21,292
42.00	10,583	52.00	14,136	62.00	17,773	72.00	21,381
42.25	10,670	52.25	14,226	62.25	17,864	72.25	21,470
42.50	10,757	52.50	14,317	62.50	17,955	72.50	21,559
42.75	10,844	52.75	14,407	62.75	18,046	72.75	21,648
43.00	10,931	53.00	14,498	63.00	18,137	73.00	21,737
43.25	11,019	53.25	14,588	63.25	18,227	73.25	21,825
43.50	11,106	53.50	14,679	63.50	18,318	73.50	21,914
43.75	11,194	53.75	14,770	63.75	18,409	73.75	22,002
44.00	11,281	54.00	14,860	64.00	18,500	74.00	22,090
44.25	11,369	54.25	14,951	64.25	18,591	74.25	22,178
44.50	11,457	54.50	15,042	64.50	18,682	74.50	22,266
44.75	11,545	54.75	15,133	64.75	18,772	74.75	22,354
45.00	11,633	55.00	15,223	65.00	18,863	75.00	22,442
45.25	11,722	55.25	15,314	65.25	18,954	75.25	22,530
45.50	11,810	55.50	15,405	65.50	19,045	75.50	22,617
45.75	11,898	55.75	15,496	65.75	19,135	75.75	22,705
46.00	11,987	56.00	15,587	66.00	19,226	76.00	22,792
46.25	12,076	56.25	15,678	66.25	19,316	76.25	22,879
46.50	12,164	56.50	15,769	66.50	19,407	76.50	22,967
46.75	12,253	56.75	15,860	66.75	19,497	76.75	23,054
47.00	12,342	57.00	15,951	67.00	19,587	77.00	23,140
47.25	12,431	57.25	16,042	67.25	19,678	77.25	23,227
47.50	12,520	57.50	16,133	67.50	19,768	77.50	23,314
47.75	12,609	57.75	16,224	67.75	19,858	77.75	23,400
48.00	12,698	58.00	16,315	68.00	19,948	78.00	23,487
48.25	12,788	58.25	16,406	68.25	20,038	78.25	23,573
48.50	12,877	58.50	16,497	68.50	20,128	78.50	23,659
48.75	12,967	58.75	16,588	68.75	20,218	78.75	23,745
49.00	13,056	59.00	16,680	69.00	20,308	79.00	23,831
49.25	13,146	59.25	16,771	69.25	20,398	79.25	23,917
49.50	13,236	59.50	16,862	69.50	20,488	79.50	24,002
49.75	13,325	59.75	16,953	69.75	20,578	79.75	24,088
50.00	13,415	60.00	17,044	70.00	20,667	80.00	24,173

**OFOX 34793****Gage Table Information**Reporting Marks: **OFOX 34793**

Trinity File Number: 9156

Capacity: 33,723 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: Not Available

Tank Number: 190

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,258	90.25	27,516	100.25	30,382	110.25	32,641
80.50	24,343	90.50	27,593	100.50	30,447	110.50	32,687
80.75	24,428	90.75	27,670	100.75	30,512	110.75	32,732
81.00	24,512	91.00	27,747	101.00	30,576	111.00	32,776
81.25	24,597	91.25	27,823	101.25	30,640	111.25	32,820
81.50	24,681	91.50	27,899	101.50	30,704	111.50	32,863
81.75	24,765	91.75	27,975	101.75	30,767	111.75	32,905
82.00	24,849	92.00	28,051	102.00	30,829	112.00	32,947
82.25	24,933	92.25	28,126	102.25	30,892	112.25	32,988
82.50	25,017	92.50	28,201	102.50	30,954	112.50	33,028
82.75	25,101	92.75	28,276	102.75	31,015	112.75	33,068
83.00	25,184	93.00	28,351	103.00	31,076	113.00	33,107
83.25	25,267	93.25	28,425	103.25	31,137	113.25	33,145
83.50	25,350	93.50	28,499	103.50	31,197	113.50	33,182
83.75	25,433	93.75	28,573	103.75	31,257	113.75	33,218
84.00	25,515	94.00	28,646	104.00	31,316	114.00	33,254
84.25	25,598	94.25	28,719	104.25	31,375	114.25	33,289
84.50	25,680	94.50	28,792	104.50	31,434	114.50	33,322
84.75	25,762	94.75	28,865	104.75	31,492	114.75	33,355
85.00	25,844	95.00	28,937	105.00	31,549	115.00	33,387
85.25	25,926	95.25	29,009	105.25	31,606	115.25	33,418
85.50	26,007	95.50	29,081	105.50	31,663	115.50	33,448
85.75	26,089	95.75	29,152	105.75	31,719	115.75	33,477
86.00	26,170	96.00	29,224	106.00	31,775	116.00	33,505
86.25	26,251	96.25	29,294	106.25	31,830	116.25	33,532
86.50	26,331	96.50	29,365	106.50	31,885	116.50	33,557
86.75	26,412	96.75	29,435	106.75	31,939	116.75	33,581
87.00	26,492	97.00	29,505	107.00	31,993	117.00	33,604
87.25	26,572	97.25	29,574	107.25	32,046	117.25	33,626
87.50	26,652	97.50	29,644	107.50	32,098	117.50	33,646
87.75	26,732	97.75	29,712	107.75	32,150	117.75	33,664
88.00	26,811	98.00	29,781	108.00	32,202	118.00	33,681
88.25	26,891	98.25	29,849	108.25	32,253	118.25	33,696
88.50	26,970	98.50	29,917	108.50	32,304	118.50	33,708
88.75	27,048	98.75	29,985	108.75	32,354	118.75	33,718
89.00	27,127	99.00	30,052	109.00	32,403	119.00	33,723
89.25	27,205	99.25	30,119	109.25	32,452		
89.50	27,283	99.50	30,185	109.50	32,500		
89.75	27,361	99.75	30,251	109.75	32,547		
90.00	27,439	100.00	30,317	110.00	32,594		

