

**OFOX 34795****Gage Table Information**Reporting Marks: **OFOX 34795**

Trinity File Number: 9156

Capacity: 33,725 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 192

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,370	20.25	3,739	30.25	6,675
0.50	15	10.50	1,419	20.50	3,806	30.50	6,754
0.75	27	10.75	1,470	20.75	3,874	30.75	6,833
1.00	42	11.00	1,521	21.00	3,942	31.00	6,912
1.25	59	11.25	1,573	21.25	4,011	31.25	6,992
1.50	77	11.50	1,625	21.50	4,080	31.50	7,071
1.75	97	11.75	1,677	21.75	4,149	31.75	7,151
2.00	119	12.00	1,731	22.00	4,218	32.00	7,231
2.25	142	12.25	1,784	22.25	4,288	32.25	7,312
2.50	166	12.50	1,838	22.50	4,358	32.50	7,392
2.75	191	12.75	1,893	22.75	4,429	32.75	7,473
3.00	218	13.00	1,948	23.00	4,500	33.00	7,554
3.25	246	13.25	2,004	23.25	4,571	33.25	7,635
3.50	275	13.50	2,060	23.50	4,642	33.50	7,716
3.75	305	13.75	2,117	23.75	4,714	33.75	7,798
4.00	336	14.00	2,174	24.00	4,786	34.00	7,879
4.25	368	14.25	2,232	24.25	4,858	34.25	7,961
4.50	401	14.50	2,290	24.50	4,931	34.50	8,043
4.75	434	14.75	2,348	24.75	5,004	34.75	8,126
5.00	469	15.00	2,407	25.00	5,077	35.00	8,208
5.25	505	15.25	2,466	25.25	5,151	35.25	8,291
5.50	541	15.50	2,526	25.50	5,224	35.50	8,374
5.75	578	15.75	2,586	25.75	5,298	35.75	8,457
6.00	616	16.00	2,647	26.00	5,373	36.00	8,540
6.25	655	16.25	2,708	26.25	5,447	36.25	8,623
6.50	695	16.50	2,770	26.50	5,522	36.50	8,707
6.75	735	16.75	2,831	26.75	5,597	36.75	8,790
7.00	776	17.00	2,894	27.00	5,673	37.00	8,874
7.25	818	17.25	2,956	27.25	5,748	37.25	8,958
7.50	860	17.50	3,020	27.50	5,824	37.50	9,042
7.75	903	17.75	3,083	27.75	5,900	37.75	9,127
8.00	947	18.00	3,147	28.00	5,977	38.00	9,211
8.25	991	18.25	3,211	28.25	6,053	38.25	9,296
8.50	1,037	18.50	3,276	28.50	6,130	38.50	9,381
8.75	1,082	18.75	3,341	28.75	6,207	38.75	9,466
9.00	1,129	19.00	3,406	29.00	6,285	39.00	9,551
9.25	1,176	19.25	3,472	29.25	6,362	39.25	9,636
9.50	1,223	19.50	3,538	29.50	6,440	39.50	9,721
9.75	1,271	19.75	3,605	29.75	6,518	39.75	9,807

**OFOX 34795****Gage Table Information**Reporting Marks: **OFOX 34795**

Trinity File Number: 9156

Capacity: 33,725 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 192

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,979	50.25	13,506	60.25	17,136	70.25	20,758
40.50	10,065	50.50	13,596	60.50	17,227	70.50	20,847
40.75	10,151	50.75	13,686	60.75	17,318	70.75	20,937
41.00	10,237	51.00	13,776	61.00	17,409	71.00	21,026
41.25	10,323	51.25	13,866	61.25	17,500	71.25	21,115
41.50	10,410	51.50	13,956	61.50	17,591	71.50	21,204
41.75	10,496	51.75	14,046	61.75	17,682	71.75	21,294
42.00	10,583	52.00	14,137	62.00	17,773	72.00	21,383
42.25	10,670	52.25	14,227	62.25	17,864	72.25	21,471
42.50	10,757	52.50	14,317	62.50	17,955	72.50	21,560
42.75	10,844	52.75	14,408	62.75	18,046	72.75	21,649
43.00	10,932	53.00	14,498	63.00	18,137	73.00	21,738
43.25	11,019	53.25	14,589	63.25	18,228	73.25	21,826
43.50	11,106	53.50	14,680	63.50	18,319	73.50	21,915
43.75	11,194	53.75	14,770	63.75	18,410	73.75	22,003
44.00	11,282	54.00	14,861	64.00	18,501	74.00	22,091
44.25	11,370	54.25	14,952	64.25	18,592	74.25	22,179
44.50	11,458	54.50	15,042	64.50	18,683	74.50	22,267
44.75	11,546	54.75	15,133	64.75	18,773	74.75	22,355
45.00	11,634	55.00	15,224	65.00	18,864	75.00	22,443
45.25	11,722	55.25	15,315	65.25	18,955	75.25	22,531
45.50	11,810	55.50	15,406	65.50	19,045	75.50	22,619
45.75	11,899	55.75	15,497	65.75	19,136	75.75	22,706
46.00	11,987	56.00	15,588	66.00	19,227	76.00	22,793
46.25	12,076	56.25	15,679	66.25	19,317	76.25	22,881
46.50	12,165	56.50	15,770	66.50	19,408	76.50	22,968
46.75	12,254	56.75	15,861	66.75	19,498	76.75	23,055
47.00	12,342	57.00	15,952	67.00	19,588	77.00	23,142
47.25	12,431	57.25	16,043	67.25	19,679	77.25	23,228
47.50	12,521	57.50	16,134	67.50	19,769	77.50	23,315
47.75	12,610	57.75	16,225	67.75	19,859	77.75	23,402
48.00	12,699	58.00	16,316	68.00	19,949	78.00	23,488
48.25	12,788	58.25	16,407	68.25	20,039	78.25	23,574
48.50	12,878	58.50	16,498	68.50	20,129	78.50	23,660
48.75	12,967	58.75	16,589	68.75	20,219	78.75	23,746
49.00	13,057	59.00	16,680	69.00	20,309	79.00	23,832
49.25	13,146	59.25	16,771	69.25	20,399	79.25	23,918
49.50	13,236	59.50	16,862	69.50	20,489	79.50	24,003
49.75	13,326	59.75	16,954	69.75	20,579	79.75	24,089
50.00	13,416	60.00	17,045	70.00	20,668	80.00	24,174

**OFOX 34795****Gage Table Information**Reporting Marks: **OFOX 34795**

Trinity File Number: 9156

Capacity: 33,725 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 192

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,259	90.25	27,518	100.25	30,384	110.25	32,643
80.50	24,344	90.50	27,595	100.50	30,449	110.50	32,688
80.75	24,429	90.75	27,672	100.75	30,514	110.75	32,734
81.00	24,514	91.00	27,748	101.00	30,578	111.00	32,778
81.25	24,598	91.25	27,825	101.25	30,642	111.25	32,822
81.50	24,683	91.50	27,901	101.50	30,705	111.50	32,865
81.75	24,767	91.75	27,977	101.75	30,769	111.75	32,907
82.00	24,851	92.00	28,052	102.00	30,831	112.00	32,949
82.25	24,935	92.25	28,128	102.25	30,894	112.25	32,990
82.50	25,018	92.50	28,203	102.50	30,955	112.50	33,030
82.75	25,102	92.75	28,278	102.75	31,017	112.75	33,070
83.00	25,185	93.00	28,352	103.00	31,078	113.00	33,109
83.25	25,268	93.25	28,427	103.25	31,139	113.25	33,147
83.50	25,351	93.50	28,501	103.50	31,199	113.50	33,184
83.75	25,434	93.75	28,574	103.75	31,259	113.75	33,220
84.00	25,517	94.00	28,648	104.00	31,318	114.00	33,256
84.25	25,599	94.25	28,721	104.25	31,377	114.25	33,291
84.50	25,682	94.50	28,794	104.50	31,435	114.50	33,324
84.75	25,764	94.75	28,867	104.75	31,493	114.75	33,357
85.00	25,846	95.00	28,939	105.00	31,551	115.00	33,389
85.25	25,927	95.25	29,011	105.25	31,608	115.25	33,420
85.50	26,009	95.50	29,083	105.50	31,665	115.50	33,450
85.75	26,090	95.75	29,154	105.75	31,721	115.75	33,479
86.00	26,171	96.00	29,225	106.00	31,777	116.00	33,507
86.25	26,252	96.25	29,296	106.25	31,832	116.25	33,534
86.50	26,333	96.50	29,367	106.50	31,887	116.50	33,559
86.75	26,413	96.75	29,437	106.75	31,941	116.75	33,583
87.00	26,494	97.00	29,507	107.00	31,994	117.00	33,606
87.25	26,574	97.25	29,576	107.25	32,048	117.25	33,628
87.50	26,654	97.50	29,645	107.50	32,100	117.50	33,648
87.75	26,733	97.75	29,714	107.75	32,152	117.75	33,666
88.00	26,813	98.00	29,783	108.00	32,204	118.00	33,683
88.25	26,892	98.25	29,851	108.25	32,255	118.25	33,698
88.50	26,971	98.50	29,919	108.50	32,305	118.50	33,710
88.75	27,050	98.75	29,986	108.75	32,355	118.75	33,720
89.00	27,128	99.00	30,054	109.00	32,405	119.00	33,725
89.25	27,207	99.25	30,120	109.25	32,454		
89.50	27,285	99.50	30,187	109.50	32,502		
89.75	27,363	99.75	30,253	109.75	32,549		
90.00	27,440	100.00	30,319	110.00	32,596		

