

**OFOX 34796****Gage Table Information**Reporting Marks: **OFOX 34796**

Trinity File Number: 9156

Capacity: 33,678 Gallons

Tare Weight: 99,400 lb.

Max. Weight On Rail: Not Available

Tank Number: 193

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,368	20.25	3,733	30.25	6,666
0.50	15	10.50	1,417	20.50	3,801	30.50	6,744
0.75	27	10.75	1,468	20.75	3,868	30.75	6,823
1.00	42	11.00	1,519	21.00	3,937	31.00	6,902
1.25	58	11.25	1,570	21.25	4,005	31.25	6,982
1.50	77	11.50	1,622	21.50	4,074	31.50	7,061
1.75	97	11.75	1,675	21.75	4,143	31.75	7,141
2.00	118	12.00	1,728	22.00	4,212	32.00	7,221
2.25	141	12.25	1,782	22.25	4,282	32.25	7,301
2.50	166	12.50	1,836	22.50	4,352	32.50	7,382
2.75	191	12.75	1,890	22.75	4,423	32.75	7,462
3.00	218	13.00	1,946	23.00	4,493	33.00	7,543
3.25	246	13.25	2,001	23.25	4,564	33.25	7,624
3.50	274	13.50	2,057	23.50	4,636	33.50	7,705
3.75	304	13.75	2,114	23.75	4,707	33.75	7,787
4.00	335	14.00	2,171	24.00	4,779	34.00	7,868
4.25	367	14.25	2,228	24.25	4,851	34.25	7,950
4.50	400	14.50	2,286	24.50	4,924	34.50	8,032
4.75	434	14.75	2,345	24.75	4,997	34.75	8,114
5.00	468	15.00	2,403	25.00	5,070	35.00	8,197
5.25	504	15.25	2,463	25.25	5,143	35.25	8,279
5.50	540	15.50	2,522	25.50	5,217	35.50	8,362
5.75	577	15.75	2,583	25.75	5,291	35.75	8,445
6.00	615	16.00	2,643	26.00	5,365	36.00	8,528
6.25	654	16.25	2,704	26.25	5,439	36.25	8,611
6.50	693	16.50	2,766	26.50	5,514	36.50	8,694
6.75	734	16.75	2,827	26.75	5,589	36.75	8,778
7.00	775	17.00	2,890	27.00	5,664	37.00	8,862
7.25	816	17.25	2,952	27.25	5,740	37.25	8,946
7.50	859	17.50	3,015	27.50	5,816	37.50	9,030
7.75	902	17.75	3,079	27.75	5,892	37.75	9,114
8.00	946	18.00	3,142	28.00	5,968	38.00	9,198
8.25	990	18.25	3,207	28.25	6,045	38.25	9,283
8.50	1,035	18.50	3,271	28.50	6,121	38.50	9,368
8.75	1,081	18.75	3,336	28.75	6,199	38.75	9,452
9.00	1,127	19.00	3,401	29.00	6,276	39.00	9,537
9.25	1,174	19.25	3,467	29.25	6,353	39.25	9,623
9.50	1,221	19.50	3,533	29.50	6,431	39.50	9,708
9.75	1,270	19.75	3,599	29.75	6,509	39.75	9,793

**OFOX 34796****Gage Table Information**Reporting Marks: **OFOX 34796**

Trinity File Number: 9156

Capacity: 33,678 Gallons

Tare Weight: 99,400 lb.

Max. Weight On Rail: Not Available

Tank Number: 193

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,965	50.25	13,487	60.25	17,112	70.25	20,729
40.50	10,050	50.50	13,577	60.50	17,203	70.50	20,818
40.75	10,136	50.75	13,666	60.75	17,294	70.75	20,908
41.00	10,223	51.00	13,756	61.00	17,385	71.00	20,997
41.25	10,309	51.25	13,846	61.25	17,476	71.25	21,086
41.50	10,395	51.50	13,937	61.50	17,567	71.50	21,175
41.75	10,482	51.75	14,027	61.75	17,658	71.75	21,264
42.00	10,568	52.00	14,117	62.00	17,749	72.00	21,353
42.25	10,655	52.25	14,207	62.25	17,840	72.25	21,442
42.50	10,742	52.50	14,297	62.50	17,930	72.50	21,530
42.75	10,829	52.75	14,388	62.75	18,021	72.75	21,619
43.00	10,916	53.00	14,478	63.00	18,112	73.00	21,707
43.25	11,004	53.25	14,569	63.25	18,203	73.25	21,796
43.50	11,091	53.50	14,659	63.50	18,294	73.50	21,884
43.75	11,178	53.75	14,750	63.75	18,384	73.75	21,972
44.00	11,266	54.00	14,840	64.00	18,475	74.00	22,061
44.25	11,354	54.25	14,931	64.25	18,566	74.25	22,149
44.50	11,441	54.50	15,021	64.50	18,657	74.50	22,236
44.75	11,529	54.75	15,112	64.75	18,747	74.75	22,324
45.00	11,617	55.00	15,203	65.00	18,838	75.00	22,412
45.25	11,706	55.25	15,293	65.25	18,928	75.25	22,500
45.50	11,794	55.50	15,384	65.50	19,019	75.50	22,587
45.75	11,882	55.75	15,475	65.75	19,109	75.75	22,674
46.00	11,971	56.00	15,566	66.00	19,200	76.00	22,762
46.25	12,059	56.25	15,657	66.25	19,290	76.25	22,849
46.50	12,148	56.50	15,748	66.50	19,381	76.50	22,936
46.75	12,236	56.75	15,838	66.75	19,471	76.75	23,023
47.00	12,325	57.00	15,929	67.00	19,561	77.00	23,110
47.25	12,414	57.25	16,020	67.25	19,651	77.25	23,196
47.50	12,503	57.50	16,111	67.50	19,741	77.50	23,283
47.75	12,592	57.75	16,202	67.75	19,832	77.75	23,369
48.00	12,681	58.00	16,293	68.00	19,922	78.00	23,455
48.25	12,770	58.25	16,384	68.25	20,012	78.25	23,541
48.50	12,860	58.50	16,475	68.50	20,101	78.50	23,627
48.75	12,949	58.75	16,566	68.75	20,191	78.75	23,713
49.00	13,038	59.00	16,657	69.00	20,281	79.00	23,799
49.25	13,128	59.25	16,748	69.25	20,371	79.25	23,885
49.50	13,218	59.50	16,839	69.50	20,460	79.50	23,970
49.75	13,307	59.75	16,930	69.75	20,550	79.75	24,055
50.00	13,397	60.00	17,021	70.00	20,640	80.00	24,141

**OFOX 34796****Gage Table Information**Reporting Marks: **OFOX 34796**

Trinity File Number: 9156

Capacity: 33,678 Gallons

Tare Weight: 99,400 lb.

Max. Weight On Rail: Not Available

Tank Number: 193

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,226	90.25	27,479	100.25	30,342	110.25	32,597
80.50	24,310	90.50	27,556	100.50	30,407	110.50	32,643
80.75	24,395	90.75	27,633	100.75	30,471	110.75	32,688
81.00	24,480	91.00	27,710	101.00	30,536	111.00	32,732
81.25	24,564	91.25	27,786	101.25	30,599	111.25	32,776
81.50	24,648	91.50	27,862	101.50	30,663	111.50	32,819
81.75	24,732	91.75	27,938	101.75	30,726	111.75	32,862
82.00	24,816	92.00	28,013	102.00	30,788	112.00	32,903
82.25	24,900	92.25	28,089	102.25	30,851	112.25	32,944
82.50	24,984	92.50	28,164	102.50	30,912	112.50	32,984
82.75	25,067	92.75	28,238	102.75	30,974	112.75	33,024
83.00	25,150	93.00	28,313	103.00	31,035	113.00	33,063
83.25	25,233	93.25	28,387	103.25	31,095	113.25	33,101
83.50	25,316	93.50	28,461	103.50	31,155	113.50	33,138
83.75	25,399	93.75	28,535	103.75	31,215	113.75	33,174
84.00	25,481	94.00	28,608	104.00	31,274	114.00	33,210
84.25	25,564	94.25	28,681	104.25	31,333	114.25	33,244
84.50	25,646	94.50	28,754	104.50	31,392	114.50	33,278
84.75	25,728	94.75	28,826	104.75	31,450	114.75	33,311
85.00	25,810	95.00	28,899	105.00	31,507	115.00	33,343
85.25	25,891	95.25	28,971	105.25	31,564	115.25	33,374
85.50	25,973	95.50	29,042	105.50	31,621	115.50	33,404
85.75	26,054	95.75	29,114	105.75	31,677	115.75	33,432
86.00	26,135	96.00	29,185	106.00	31,732	116.00	33,460
86.25	26,216	96.25	29,255	106.25	31,788	116.25	33,487
86.50	26,296	96.50	29,326	106.50	31,842	116.50	33,512
86.75	26,377	96.75	29,396	106.75	31,896	116.75	33,537
87.00	26,457	97.00	29,466	107.00	31,950	117.00	33,559
87.25	26,537	97.25	29,535	107.25	32,003	117.25	33,581
87.50	26,617	97.50	29,604	107.50	32,056	117.50	33,601
87.75	26,696	97.75	29,673	107.75	32,108	117.75	33,619
88.00	26,776	98.00	29,741	108.00	32,159	118.00	33,636
88.25	26,855	98.25	29,809	108.25	32,210	118.25	33,651
88.50	26,934	98.50	29,877	108.50	32,261	118.50	33,663
88.75	27,012	98.75	29,945	108.75	32,310	118.75	33,673
89.00	27,091	99.00	30,012	109.00	32,360	119.00	33,678
89.25	27,169	99.25	30,078	109.25	32,408		
89.50	27,247	99.50	30,145	109.50	32,457		
89.75	27,325	99.75	30,211	109.75	32,504		
90.00	27,402	100.00	30,277	110.00	32,551		

