

**OFOX 34797****Gage Table Information**Reporting Marks: **OFOX 34797**

Trinity File Number: 9156

Capacity: 33,749 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 194

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,371	20.25	3,742	30.25	6,680
0.50	15	10.50	1,421	20.50	3,809	30.50	6,759
0.75	27	10.75	1,471	20.75	3,877	30.75	6,838
1.00	42	11.00	1,522	21.00	3,945	31.00	6,917
1.25	59	11.25	1,574	21.25	4,014	31.25	6,997
1.50	77	11.50	1,626	21.50	4,083	31.50	7,077
1.75	97	11.75	1,679	21.75	4,152	31.75	7,157
2.00	119	12.00	1,732	22.00	4,222	32.00	7,237
2.25	142	12.25	1,786	22.25	4,292	32.25	7,317
2.50	166	12.50	1,840	22.50	4,362	32.50	7,398
2.75	192	12.75	1,895	22.75	4,432	32.75	7,478
3.00	219	13.00	1,950	23.00	4,503	33.00	7,559
3.25	246	13.25	2,006	23.25	4,574	33.25	7,641
3.50	275	13.50	2,062	23.50	4,646	33.50	7,722
3.75	305	13.75	2,119	23.75	4,718	33.75	7,803
4.00	336	14.00	2,176	24.00	4,790	34.00	7,885
4.25	368	14.25	2,233	24.25	4,862	34.25	7,967
4.50	401	14.50	2,291	24.50	4,935	34.50	8,049
4.75	435	14.75	2,350	24.75	5,008	34.75	8,132
5.00	470	15.00	2,409	25.00	5,081	35.00	8,214
5.25	505	15.25	2,468	25.25	5,154	35.25	8,297
5.50	542	15.50	2,528	25.50	5,228	35.50	8,380
5.75	579	15.75	2,588	25.75	5,302	35.75	8,463
6.00	617	16.00	2,649	26.00	5,377	36.00	8,546
6.25	656	16.25	2,710	26.25	5,451	36.25	8,629
6.50	695	16.50	2,772	26.50	5,526	36.50	8,713
6.75	736	16.75	2,834	26.75	5,601	36.75	8,797
7.00	777	17.00	2,896	27.00	5,677	37.00	8,881
7.25	818	17.25	2,959	27.25	5,753	37.25	8,965
7.50	861	17.50	3,022	27.50	5,828	37.50	9,049
7.75	904	17.75	3,085	27.75	5,905	37.75	9,133
8.00	948	18.00	3,149	28.00	5,981	38.00	9,218
8.25	992	18.25	3,214	28.25	6,058	38.25	9,303
8.50	1,038	18.50	3,278	28.50	6,135	38.50	9,388
8.75	1,083	18.75	3,343	28.75	6,212	38.75	9,473
9.00	1,130	19.00	3,409	29.00	6,289	39.00	9,558
9.25	1,177	19.25	3,475	29.25	6,367	39.25	9,643
9.50	1,224	19.50	3,541	29.50	6,445	39.50	9,729
9.75	1,273	19.75	3,607	29.75	6,523	39.75	9,814

**OFOX 34797****Gage Table Information**Reporting Marks: **OFOX 34797**

Trinity File Number: 9156

Capacity: 33,749 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 194

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,986	50.25	13,515	60.25	17,148	70.25	20,773
40.50	10,072	50.50	13,605	60.50	17,239	70.50	20,862
40.75	10,158	50.75	13,695	60.75	17,330	70.75	20,952
41.00	10,244	51.00	13,786	61.00	17,422	71.00	21,041
41.25	10,331	51.25	13,876	61.25	17,513	71.25	21,130
41.50	10,417	51.50	13,966	61.50	17,604	71.50	21,220
41.75	10,504	51.75	14,056	61.75	17,695	71.75	21,309
42.00	10,591	52.00	14,147	62.00	17,786	72.00	21,398
42.25	10,678	52.25	14,237	62.25	17,877	72.25	21,487
42.50	10,765	52.50	14,328	62.50	17,968	72.50	21,576
42.75	10,852	52.75	14,418	62.75	18,059	72.75	21,664
43.00	10,940	53.00	14,509	63.00	18,150	73.00	21,753
43.25	11,027	53.25	14,599	63.25	18,241	73.25	21,842
43.50	11,115	53.50	14,690	63.50	18,332	73.50	21,930
43.75	11,202	53.75	14,781	63.75	18,423	73.75	22,019
44.00	11,290	54.00	14,872	64.00	18,514	74.00	22,107
44.25	11,378	54.25	14,962	64.25	18,605	74.25	22,195
44.50	11,466	54.50	15,053	64.50	18,696	74.50	22,283
44.75	11,554	54.75	15,144	64.75	18,787	74.75	22,371
45.00	11,642	55.00	15,235	65.00	18,878	75.00	22,459
45.25	11,731	55.25	15,326	65.25	18,968	75.25	22,547
45.50	11,819	55.50	15,417	65.50	19,059	75.50	22,635
45.75	11,907	55.75	15,508	65.75	19,150	75.75	22,722
46.00	11,996	56.00	15,599	66.00	19,240	76.00	22,810
46.25	12,085	56.25	15,690	66.25	19,331	76.25	22,897
46.50	12,174	56.50	15,781	66.50	19,421	76.50	22,984
46.75	12,262	56.75	15,872	66.75	19,512	76.75	23,071
47.00	12,351	57.00	15,963	67.00	19,602	77.00	23,158
47.25	12,440	57.25	16,054	67.25	19,693	77.25	23,245
47.50	12,530	57.50	16,145	67.50	19,783	77.50	23,332
47.75	12,619	57.75	16,236	67.75	19,873	77.75	23,418
48.00	12,708	58.00	16,328	68.00	19,964	78.00	23,505
48.25	12,798	58.25	16,419	68.25	20,054	78.25	23,591
48.50	12,887	58.50	16,510	68.50	20,144	78.50	23,677
48.75	12,977	58.75	16,601	68.75	20,234	78.75	23,763
49.00	13,066	59.00	16,692	69.00	20,324	79.00	23,849
49.25	13,156	59.25	16,783	69.25	20,414	79.25	23,935
49.50	13,246	59.50	16,875	69.50	20,504	79.50	24,021
49.75	13,335	59.75	16,966	69.75	20,593	79.75	24,106
50.00	13,425	60.00	17,057	70.00	20,683	80.00	24,191

**OFOX 34797****Gage Table Information**Reporting Marks: **OFOX 34797**

Trinity File Number: 9156

Capacity: 33,749 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 194

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,277	90.25	27,537	100.25	30,406	110.25	32,666
80.50	24,362	90.50	27,614	100.50	30,471	110.50	32,712
80.75	24,446	90.75	27,691	100.75	30,535	110.75	32,757
81.00	24,531	91.00	27,768	101.00	30,600	111.00	32,801
81.25	24,616	91.25	27,845	101.25	30,664	111.25	32,845
81.50	24,700	91.50	27,921	101.50	30,727	111.50	32,888
81.75	24,784	91.75	27,997	101.75	30,790	111.75	32,931
82.00	24,869	92.00	28,072	102.00	30,853	112.00	32,973
82.25	24,952	92.25	28,148	102.25	30,916	112.25	33,014
82.50	25,036	92.50	28,223	102.50	30,977	112.50	33,054
82.75	25,120	92.75	28,298	102.75	31,039	112.75	33,094
83.00	25,203	93.00	28,373	103.00	31,100	113.00	33,132
83.25	25,286	93.25	28,447	103.25	31,161	113.25	33,170
83.50	25,369	93.50	28,521	103.50	31,221	113.50	33,208
83.75	25,452	93.75	28,595	103.75	31,281	113.75	33,244
84.00	25,535	94.00	28,668	104.00	31,340	114.00	33,280
84.25	25,618	94.25	28,742	104.25	31,399	114.25	33,314
84.50	25,700	94.50	28,814	104.50	31,458	114.50	33,348
84.75	25,782	94.75	28,887	104.75	31,516	114.75	33,381
85.00	25,864	95.00	28,960	105.00	31,573	115.00	33,413
85.25	25,946	95.25	29,032	105.25	31,631	115.25	33,444
85.50	26,027	95.50	29,103	105.50	31,687	115.50	33,474
85.75	26,109	95.75	29,175	105.75	31,743	115.75	33,503
86.00	26,190	96.00	29,246	106.00	31,799	116.00	33,531
86.25	26,271	96.25	29,317	106.25	31,854	116.25	33,557
86.50	26,352	96.50	29,387	106.50	31,909	116.50	33,583
86.75	26,432	96.75	29,458	106.75	31,963	116.75	33,607
87.00	26,513	97.00	29,528	107.00	32,017	117.00	33,630
87.25	26,593	97.25	29,597	107.25	32,070	117.25	33,652
87.50	26,673	97.50	29,666	107.50	32,123	117.50	33,672
87.75	26,752	97.75	29,735	107.75	32,175	117.75	33,690
88.00	26,832	98.00	29,804	108.00	32,227	118.00	33,707
88.25	26,911	98.25	29,872	108.25	32,278	118.25	33,722
88.50	26,990	98.50	29,940	108.50	32,328	118.50	33,734
88.75	27,069	98.75	30,008	108.75	32,378	118.75	33,744
89.00	27,148	99.00	30,075	109.00	32,428	119.00	33,749
89.25	27,226	99.25	30,142	109.25	32,477		
89.50	27,304	99.50	30,208	109.50	32,525		
89.75	27,382	99.75	30,274	109.75	32,572		
90.00	27,460	100.00	30,340	110.00	32,620		

