

**OFOX 34798****Gage Table Information**Reporting Marks: **OFOX 34798**

Trinity File Number: 9156

Capacity: 33,704 Gallons

Tare Weight: 99,700 lb.

Max. Weight On Rail: Not Available

Tank Number: 195

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,368	20.25	3,736	30.25	6,671
0.50	14	10.50	1,418	20.50	3,803	30.50	6,749
0.75	27	10.75	1,469	20.75	3,871	30.75	6,828
1.00	41	11.00	1,520	21.00	3,939	31.00	6,908
1.25	58	11.25	1,571	21.25	4,008	31.25	6,987
1.50	77	11.50	1,623	21.50	4,077	31.50	7,067
1.75	97	11.75	1,676	21.75	4,146	31.75	7,146
2.00	118	12.00	1,729	22.00	4,215	32.00	7,226
2.25	141	12.25	1,783	22.25	4,285	32.25	7,307
2.50	165	12.50	1,837	22.50	4,355	32.50	7,387
2.75	191	12.75	1,892	22.75	4,426	32.75	7,468
3.00	218	13.00	1,947	23.00	4,497	33.00	7,549
3.25	245	13.25	2,002	23.25	4,568	33.25	7,630
3.50	274	13.50	2,059	23.50	4,639	33.50	7,711
3.75	304	13.75	2,115	23.75	4,711	33.75	7,792
4.00	335	14.00	2,172	24.00	4,783	34.00	7,874
4.25	367	14.25	2,230	24.25	4,855	34.25	7,956
4.50	400	14.50	2,288	24.50	4,928	34.50	8,038
4.75	434	14.75	2,346	24.75	5,000	34.75	8,120
5.00	468	15.00	2,405	25.00	5,074	35.00	8,203
5.25	504	15.25	2,464	25.25	5,147	35.25	8,285
5.50	540	15.50	2,524	25.50	5,221	35.50	8,368
5.75	577	15.75	2,584	25.75	5,295	35.75	8,451
6.00	615	16.00	2,645	26.00	5,369	36.00	8,534
6.25	654	16.25	2,706	26.25	5,443	36.25	8,617
6.50	694	16.50	2,767	26.50	5,518	36.50	8,701
6.75	734	16.75	2,829	26.75	5,593	36.75	8,785
7.00	775	17.00	2,892	27.00	5,669	37.00	8,868
7.25	817	17.25	2,954	27.25	5,744	37.25	8,952
7.50	859	17.50	3,017	27.50	5,820	37.50	9,036
7.75	902	17.75	3,081	27.75	5,896	37.75	9,121
8.00	946	18.00	3,145	28.00	5,973	38.00	9,205
8.25	990	18.25	3,209	28.25	6,049	38.25	9,290
8.50	1,035	18.50	3,273	28.50	6,126	38.50	9,375
8.75	1,081	18.75	3,338	28.75	6,203	38.75	9,459
9.00	1,128	19.00	3,404	29.00	6,280	39.00	9,545
9.25	1,174	19.25	3,469	29.25	6,358	39.25	9,630
9.50	1,222	19.50	3,536	29.50	6,436	39.50	9,715
9.75	1,270	19.75	3,602	29.75	6,514	39.75	9,801

**OFOX 34798****Gage Table Information**Reporting Marks: **OFOX 34798**

Trinity File Number: 9156

Capacity: 33,704 Gallons

Tare Weight: 99,700 lb.

Max. Weight On Rail: Not Available

Tank Number: 195

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,972	50.25	13,497	60.25	17,125	70.25	20,745
40.50	10,058	50.50	13,587	60.50	17,216	70.50	20,834
40.75	10,144	50.75	13,677	60.75	17,307	70.75	20,924
41.00	10,230	51.00	13,767	61.00	17,398	71.00	21,013
41.25	10,317	51.25	13,857	61.25	17,489	71.25	21,102
41.50	10,403	51.50	13,947	61.50	17,580	71.50	21,191
41.75	10,490	51.75	14,037	61.75	17,671	71.75	21,280
42.00	10,576	52.00	14,128	62.00	17,762	72.00	21,369
42.25	10,663	52.25	14,218	62.25	17,853	72.25	21,458
42.50	10,750	52.50	14,308	62.50	17,944	72.50	21,547
42.75	10,837	52.75	14,399	62.75	18,035	72.75	21,635
43.00	10,924	53.00	14,489	63.00	18,126	73.00	21,724
43.25	11,012	53.25	14,580	63.25	18,217	73.25	21,812
43.50	11,099	53.50	14,670	63.50	18,308	73.50	21,901
43.75	11,187	53.75	14,761	63.75	18,399	73.75	21,989
44.00	11,274	54.00	14,851	64.00	18,489	74.00	22,077
44.25	11,362	54.25	14,942	64.25	18,580	74.25	22,165
44.50	11,450	54.50	15,033	64.50	18,671	74.50	22,253
44.75	11,538	54.75	15,124	64.75	18,762	74.75	22,341
45.00	11,626	55.00	15,214	65.00	18,852	75.00	22,429
45.25	11,714	55.25	15,305	65.25	18,943	75.25	22,517
45.50	11,803	55.50	15,396	65.50	19,033	75.50	22,604
45.75	11,891	55.75	15,487	65.75	19,124	75.75	22,692
46.00	11,980	56.00	15,578	66.00	19,214	76.00	22,779
46.25	12,068	56.25	15,669	66.25	19,305	76.25	22,866
46.50	12,157	56.50	15,760	66.50	19,395	76.50	22,953
46.75	12,246	56.75	15,850	66.75	19,486	76.75	23,040
47.00	12,334	57.00	15,941	67.00	19,576	77.00	23,127
47.25	12,423	57.25	16,032	67.25	19,666	77.25	23,214
47.50	12,512	57.50	16,123	67.50	19,756	77.50	23,301
47.75	12,602	57.75	16,214	67.75	19,847	77.75	23,387
48.00	12,691	58.00	16,305	68.00	19,937	78.00	23,473
48.25	12,780	58.25	16,397	68.25	20,027	78.25	23,560
48.50	12,869	58.50	16,488	68.50	20,117	78.50	23,646
48.75	12,959	58.75	16,579	68.75	20,207	78.75	23,732
49.00	13,048	59.00	16,670	69.00	20,297	79.00	23,817
49.25	13,138	59.25	16,761	69.25	20,386	79.25	23,903
49.50	13,228	59.50	16,852	69.50	20,476	79.50	23,988
49.75	13,317	59.75	16,943	69.75	20,566	79.75	24,074
50.00	13,407	60.00	17,034	70.00	20,655	80.00	24,159

**OFOX 34798****Gage Table Information**Reporting Marks: **OFOX 34798**

Trinity File Number: 9156

Capacity: 33,704 Gallons

Tare Weight: 99,700 lb.

Max. Weight On Rail: Not Available

Tank Number: 195

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,244	90.25	27,501	100.25	30,365	110.25	32,622
80.50	24,329	90.50	27,578	100.50	30,430	110.50	32,668
80.75	24,414	90.75	27,654	100.75	30,495	110.75	32,713
81.00	24,498	91.00	27,731	101.00	30,559	111.00	32,758
81.25	24,583	91.25	27,807	101.25	30,623	111.25	32,801
81.50	24,667	91.50	27,884	101.50	30,686	111.50	32,845
81.75	24,751	91.75	27,959	101.75	30,749	111.75	32,887
82.00	24,835	92.00	28,035	102.00	30,812	112.00	32,929
82.25	24,919	92.25	28,110	102.25	30,874	112.25	32,970
82.50	25,003	92.50	28,185	102.50	30,936	112.50	33,010
82.75	25,086	92.75	28,260	102.75	30,998	112.75	33,049
83.00	25,169	93.00	28,335	103.00	31,059	113.00	33,088
83.25	25,253	93.25	28,409	103.25	31,119	113.25	33,126
83.50	25,336	93.50	28,483	103.50	31,179	113.50	33,163
83.75	25,418	93.75	28,557	103.75	31,239	113.75	33,200
84.00	25,501	94.00	28,630	104.00	31,299	114.00	33,235
84.25	25,583	94.25	28,703	104.25	31,357	114.25	33,270
84.50	25,666	94.50	28,776	104.50	31,416	114.50	33,304
84.75	25,748	94.75	28,849	104.75	31,474	114.75	33,336
85.00	25,829	95.00	28,921	105.00	31,531	115.00	33,368
85.25	25,911	95.25	28,993	105.25	31,588	115.25	33,399
85.50	25,993	95.50	29,065	105.50	31,645	115.50	33,429
85.75	26,074	95.75	29,136	105.75	31,701	115.75	33,458
86.00	26,155	96.00	29,207	106.00	31,757	116.00	33,486
86.25	26,236	96.25	29,278	106.25	31,812	116.25	33,513
86.50	26,316	96.50	29,348	106.50	31,867	116.50	33,538
86.75	26,397	96.75	29,418	106.75	31,921	116.75	33,562
87.00	26,477	97.00	29,488	107.00	31,974	117.00	33,585
87.25	26,557	97.25	29,558	107.25	32,028	117.25	33,607
87.50	26,637	97.50	29,627	107.50	32,080	117.50	33,627
87.75	26,717	97.75	29,696	107.75	32,132	117.75	33,645
88.00	26,796	98.00	29,764	108.00	32,184	118.00	33,662
88.25	26,875	98.25	29,832	108.25	32,235	118.25	33,677
88.50	26,954	98.50	29,900	108.50	32,285	118.50	33,689
88.75	27,033	98.75	29,968	108.75	32,335	118.75	33,699
89.00	27,111	99.00	30,035	109.00	32,385	119.00	33,704
89.25	27,190	99.25	30,102	109.25	32,433		
89.50	27,268	99.50	30,168	109.50	32,482		
89.75	27,346	99.75	30,234	109.75	32,529		
90.00	27,423	100.00	30,300	110.00	32,576		

