

**OFOX 34799****Gage Table Information**Reporting Marks: **OFOX 34799**

Trinity File Number: 9156

Capacity: 33,739 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 196

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,370	20.25	3,740	30.25	6,678
0.50	15	10.50	1,420	20.50	3,808	30.50	6,757
0.75	27	10.75	1,471	20.75	3,876	30.75	6,836
1.00	42	11.00	1,522	21.00	3,944	31.00	6,915
1.25	59	11.25	1,574	21.25	4,013	31.25	6,995
1.50	77	11.50	1,626	21.50	4,082	31.50	7,074
1.75	97	11.75	1,678	21.75	4,151	31.75	7,154
2.00	119	12.00	1,732	22.00	4,220	32.00	7,235
2.25	142	12.25	1,785	22.25	4,290	32.25	7,315
2.50	166	12.50	1,839	22.50	4,361	32.50	7,395
2.75	192	12.75	1,894	22.75	4,431	32.75	7,476
3.00	218	13.00	1,949	23.00	4,502	33.00	7,557
3.25	246	13.25	2,005	23.25	4,573	33.25	7,638
3.50	275	13.50	2,061	23.50	4,644	33.50	7,720
3.75	305	13.75	2,118	23.75	4,716	33.75	7,801
4.00	336	14.00	2,175	24.00	4,788	34.00	7,883
4.25	368	14.25	2,233	24.25	4,861	34.25	7,965
4.50	401	14.50	2,291	24.50	4,933	34.50	8,047
4.75	435	14.75	2,349	24.75	5,006	34.75	8,129
5.00	470	15.00	2,408	25.00	5,079	35.00	8,212
5.25	505	15.25	2,468	25.25	5,153	35.25	8,294
5.50	542	15.50	2,527	25.50	5,227	35.50	8,377
5.75	579	15.75	2,588	25.75	5,301	35.75	8,460
6.00	617	16.00	2,648	26.00	5,375	36.00	8,544
6.25	656	16.25	2,709	26.25	5,450	36.25	8,627
6.50	695	16.50	2,771	26.50	5,525	36.50	8,710
6.75	735	16.75	2,833	26.75	5,600	36.75	8,794
7.00	776	17.00	2,895	27.00	5,675	37.00	8,878
7.25	818	17.25	2,958	27.25	5,751	37.25	8,962
7.50	861	17.50	3,021	27.50	5,827	37.50	9,046
7.75	904	17.75	3,085	27.75	5,903	37.75	9,131
8.00	948	18.00	3,148	28.00	5,979	38.00	9,215
8.25	992	18.25	3,213	28.25	6,056	38.25	9,300
8.50	1,037	18.50	3,277	28.50	6,133	38.50	9,385
8.75	1,083	18.75	3,343	28.75	6,210	38.75	9,470
9.00	1,129	19.00	3,408	29.00	6,288	39.00	9,555
9.25	1,176	19.25	3,474	29.25	6,365	39.25	9,640
9.50	1,224	19.50	3,540	29.50	6,443	39.50	9,726
9.75	1,272	19.75	3,606	29.75	6,521	39.75	9,811

**OFOX 34799****Gage Table Information**Reporting Marks: **OFOX 34799**

Trinity File Number: 9156

Capacity: 33,739 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 196

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,983	50.25	13,511	60.25	17,143	70.25	20,767
40.50	10,069	50.50	13,601	60.50	17,234	70.50	20,856
40.75	10,155	50.75	13,691	60.75	17,325	70.75	20,946
41.00	10,241	51.00	13,782	61.00	17,417	71.00	21,035
41.25	10,328	51.25	13,872	61.25	17,508	71.25	21,124
41.50	10,414	51.50	13,962	61.50	17,599	71.50	21,213
41.75	10,501	51.75	14,052	61.75	17,690	71.75	21,302
42.00	10,588	52.00	14,143	62.00	17,781	72.00	21,392
42.25	10,675	52.25	14,233	62.25	17,872	72.25	21,480
42.50	10,762	52.50	14,324	62.50	17,963	72.50	21,569
42.75	10,849	52.75	14,414	62.75	18,054	72.75	21,658
43.00	10,936	53.00	14,505	63.00	18,145	73.00	21,747
43.25	11,024	53.25	14,595	63.25	18,236	73.25	21,835
43.50	11,111	53.50	14,686	63.50	18,327	73.50	21,924
43.75	11,199	53.75	14,776	63.75	18,418	73.75	22,012
44.00	11,287	54.00	14,867	64.00	18,509	74.00	22,100
44.25	11,375	54.25	14,958	64.25	18,600	74.25	22,189
44.50	11,463	54.50	15,049	64.50	18,690	74.50	22,277
44.75	11,551	54.75	15,140	64.75	18,781	74.75	22,365
45.00	11,639	55.00	15,230	65.00	18,872	75.00	22,453
45.25	11,727	55.25	15,321	65.25	18,963	75.25	22,540
45.50	11,815	55.50	15,412	65.50	19,053	75.50	22,628
45.75	11,904	55.75	15,503	65.75	19,144	75.75	22,716
46.00	11,992	56.00	15,594	66.00	19,235	76.00	22,803
46.25	12,081	56.25	15,685	66.25	19,325	76.25	22,890
46.50	12,170	56.50	15,776	66.50	19,416	76.50	22,977
46.75	12,259	56.75	15,867	66.75	19,506	76.75	23,064
47.00	12,348	57.00	15,958	67.00	19,597	77.00	23,151
47.25	12,437	57.25	16,049	67.25	19,687	77.25	23,238
47.50	12,526	57.50	16,141	67.50	19,777	77.50	23,325
47.75	12,615	57.75	16,232	67.75	19,867	77.75	23,411
48.00	12,704	58.00	16,323	68.00	19,958	78.00	23,498
48.25	12,794	58.25	16,414	68.25	20,048	78.25	23,584
48.50	12,883	58.50	16,505	68.50	20,138	78.50	23,670
48.75	12,973	58.75	16,596	68.75	20,228	78.75	23,756
49.00	13,062	59.00	16,687	69.00	20,318	79.00	23,842
49.25	13,152	59.25	16,778	69.25	20,408	79.25	23,928
49.50	13,242	59.50	16,870	69.50	20,498	79.50	24,014
49.75	13,332	59.75	16,961	69.75	20,587	79.75	24,099
50.00	13,421	60.00	17,052	70.00	20,677	80.00	24,184

**OFOX 34799****Gage Table Information**Reporting Marks: **OFOX 34799**

Trinity File Number: 9156

Capacity: 33,739 Gallons

Tare Weight: 100,000 lb.

Max. Weight On Rail: Not Available

Tank Number: 196

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,269	90.25	27,529	100.25	30,397	110.25	32,656
80.50	24,354	90.50	27,606	100.50	30,462	110.50	32,702
80.75	24,439	90.75	27,683	100.75	30,526	110.75	32,747
81.00	24,524	91.00	27,760	101.00	30,591	111.00	32,792
81.25	24,609	91.25	27,836	101.25	30,655	111.25	32,835
81.50	24,693	91.50	27,913	101.50	30,718	111.50	32,879
81.75	24,777	91.75	27,988	101.75	30,781	111.75	32,921
82.00	24,861	92.00	28,064	102.00	30,844	112.00	32,963
82.25	24,945	92.25	28,140	102.25	30,906	112.25	33,004
82.50	25,029	92.50	28,215	102.50	30,968	112.50	33,044
82.75	25,112	92.75	28,290	102.75	31,030	112.75	33,084
83.00	25,196	93.00	28,364	103.00	31,091	113.00	33,123
83.25	25,279	93.25	28,438	103.25	31,152	113.25	33,161
83.50	25,362	93.50	28,513	103.50	31,212	113.50	33,198
83.75	25,445	93.75	28,586	103.75	31,272	113.75	33,234
84.00	25,527	94.00	28,660	104.00	31,331	114.00	33,270
84.25	25,610	94.25	28,733	104.25	31,390	114.25	33,304
84.50	25,692	94.50	28,806	104.50	31,449	114.50	33,338
84.75	25,774	94.75	28,879	104.75	31,507	114.75	33,371
85.00	25,856	95.00	28,951	105.00	31,564	115.00	33,403
85.25	25,938	95.25	29,023	105.25	31,621	115.25	33,434
85.50	26,020	95.50	29,095	105.50	31,678	115.50	33,464
85.75	26,101	95.75	29,166	105.75	31,734	115.75	33,493
86.00	26,182	96.00	29,237	106.00	31,790	116.00	33,521
86.25	26,263	96.25	29,308	106.25	31,845	116.25	33,547
86.50	26,344	96.50	29,379	106.50	31,900	116.50	33,573
86.75	26,424	96.75	29,449	106.75	31,954	116.75	33,597
87.00	26,505	97.00	29,519	107.00	32,008	117.00	33,620
87.25	26,585	97.25	29,588	107.25	32,061	117.25	33,642
87.50	26,665	97.50	29,658	107.50	32,114	117.50	33,662
87.75	26,744	97.75	29,727	107.75	32,166	117.75	33,680
88.00	26,824	98.00	29,795	108.00	32,217	118.00	33,697
88.25	26,903	98.25	29,863	108.25	32,268	118.25	33,712
88.50	26,982	98.50	29,931	108.50	32,319	118.50	33,724
88.75	27,061	98.75	29,999	108.75	32,369	118.75	33,734
89.00	27,140	99.00	30,066	109.00	32,418	119.00	33,739
89.25	27,218	99.25	30,133	109.25	32,467		
89.50	27,296	99.50	30,199	109.50	32,515		
89.75	27,374	99.75	30,266	109.75	32,563		
90.00	27,452	100.00	30,331	110.00	32,610		

