

**OFOX 34800****Gage Table Information**Reporting Marks: **OFOX 34800**

Trinity File Number: 9156

Capacity: 33,715 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 197

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,369	20.25	3,738	30.25	6,673
0.50	15	10.50	1,419	20.50	3,805	30.50	6,752
0.75	27	10.75	1,470	20.75	3,873	30.75	6,831
1.00	42	11.00	1,521	21.00	3,941	31.00	6,910
1.25	59	11.25	1,572	21.25	4,010	31.25	6,990
1.50	77	11.50	1,624	21.50	4,079	31.50	7,069
1.75	97	11.75	1,677	21.75	4,148	31.75	7,149
2.00	119	12.00	1,730	22.00	4,217	32.00	7,229
2.25	142	12.25	1,784	22.25	4,287	32.25	7,310
2.50	166	12.50	1,838	22.50	4,357	32.50	7,390
2.75	192	12.75	1,893	22.75	4,428	32.75	7,471
3.00	218	13.00	1,948	23.00	4,499	33.00	7,552
3.25	246	13.25	2,004	23.25	4,570	33.25	7,633
3.50	275	13.50	2,060	23.50	4,641	33.50	7,714
3.75	305	13.75	2,116	23.75	4,713	33.75	7,796
4.00	336	14.00	2,173	24.00	4,785	34.00	7,877
4.25	368	14.25	2,231	24.25	4,857	34.25	7,959
4.50	401	14.50	2,289	24.50	4,930	34.50	8,041
4.75	434	14.75	2,347	24.75	5,003	34.75	8,123
5.00	469	15.00	2,406	25.00	5,076	35.00	8,206
5.25	505	15.25	2,466	25.25	5,149	35.25	8,288
5.50	541	15.50	2,525	25.50	5,223	35.50	8,371
5.75	578	15.75	2,586	25.75	5,297	35.75	8,454
6.00	616	16.00	2,646	26.00	5,371	36.00	8,537
6.25	655	16.25	2,707	26.25	5,446	36.25	8,621
6.50	695	16.50	2,769	26.50	5,521	36.50	8,704
6.75	735	16.75	2,831	26.75	5,596	36.75	8,788
7.00	776	17.00	2,893	27.00	5,671	37.00	8,872
7.25	818	17.25	2,956	27.25	5,747	37.25	8,956
7.50	860	17.50	3,019	27.50	5,822	37.50	9,040
7.75	903	17.75	3,082	27.75	5,899	37.75	9,124
8.00	947	18.00	3,146	28.00	5,975	38.00	9,209
8.25	991	18.25	3,210	28.25	6,052	38.25	9,293
8.50	1,036	18.50	3,275	28.50	6,128	38.50	9,378
8.75	1,082	18.75	3,340	28.75	6,206	38.75	9,463
9.00	1,128	19.00	3,405	29.00	6,283	39.00	9,548
9.25	1,175	19.25	3,471	29.25	6,361	39.25	9,633
9.50	1,223	19.50	3,537	29.50	6,438	39.50	9,719
9.75	1,271	19.75	3,604	29.75	6,516	39.75	9,804

**OFOX 34800****Gage Table Information**Reporting Marks: **OFOX 34800**

Trinity File Number: 9156

Capacity: 33,715 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 197

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,976	50.25	13,502	60.25	17,131	70.25	20,752
40.50	10,062	50.50	13,592	60.50	17,222	70.50	20,841
40.75	10,148	50.75	13,682	60.75	17,313	70.75	20,931
41.00	10,234	51.00	13,772	61.00	17,404	71.00	21,020
41.25	10,320	51.25	13,862	61.25	17,495	71.25	21,109
41.50	10,407	51.50	13,952	61.50	17,586	71.50	21,198
41.75	10,493	51.75	14,042	61.75	17,677	71.75	21,287
42.00	10,580	52.00	14,133	62.00	17,768	72.00	21,376
42.25	10,667	52.25	14,223	62.25	17,859	72.25	21,465
42.50	10,754	52.50	14,313	62.50	17,950	72.50	21,554
42.75	10,841	52.75	14,404	62.75	18,041	72.75	21,643
43.00	10,928	53.00	14,494	63.00	18,132	73.00	21,731
43.25	11,016	53.25	14,585	63.25	18,223	73.25	21,820
43.50	11,103	53.50	14,675	63.50	18,314	73.50	21,908
43.75	11,191	53.75	14,766	63.75	18,405	73.75	21,997
44.00	11,279	54.00	14,857	64.00	18,496	74.00	22,085
44.25	11,366	54.25	14,947	64.25	18,586	74.25	22,173
44.50	11,454	54.50	15,038	64.50	18,677	74.50	22,261
44.75	11,542	54.75	15,129	64.75	18,768	74.75	22,349
45.00	11,630	55.00	15,220	65.00	18,859	75.00	22,437
45.25	11,719	55.25	15,310	65.25	18,949	75.25	22,524
45.50	11,807	55.50	15,401	65.50	19,040	75.50	22,612
45.75	11,895	55.75	15,492	65.75	19,130	75.75	22,699
46.00	11,984	56.00	15,583	66.00	19,221	76.00	22,787
46.25	12,072	56.25	15,674	66.25	19,311	76.25	22,874
46.50	12,161	56.50	15,765	66.50	19,402	76.50	22,961
46.75	12,250	56.75	15,856	66.75	19,492	76.75	23,048
47.00	12,339	57.00	15,947	67.00	19,583	77.00	23,135
47.25	12,428	57.25	16,038	67.25	19,673	77.25	23,222
47.50	12,517	57.50	16,129	67.50	19,763	77.50	23,308
47.75	12,606	57.75	16,220	67.75	19,853	77.75	23,395
48.00	12,695	58.00	16,311	68.00	19,943	78.00	23,481
48.25	12,785	58.25	16,402	68.25	20,034	78.25	23,567
48.50	12,874	58.50	16,493	68.50	20,124	78.50	23,653
48.75	12,963	58.75	16,584	68.75	20,214	78.75	23,739
49.00	13,053	59.00	16,675	69.00	20,303	79.00	23,825
49.25	13,143	59.25	16,766	69.25	20,393	79.25	23,911
49.50	13,232	59.50	16,858	69.50	20,483	79.50	23,996
49.75	13,322	59.75	16,949	69.75	20,573	79.75	24,082
50.00	13,412	60.00	17,040	70.00	20,662	80.00	24,167

**OFOX 34800****Gage Table Information**Reporting Marks: **OFOX 34800**

Trinity File Number: 9156

Capacity: 33,715 Gallons

Tare Weight: 99,800 lb.

Max. Weight On Rail: Not Available

Tank Number: 197

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,252	90.25	27,510	100.25	30,375	110.25	32,633
80.50	24,337	90.50	27,587	100.50	30,440	110.50	32,679
80.75	24,422	90.75	27,664	100.75	30,505	110.75	32,724
81.00	24,507	91.00	27,740	101.00	30,569	111.00	32,768
81.25	24,591	91.25	27,817	101.25	30,633	111.25	32,812
81.50	24,675	91.50	27,893	101.50	30,696	111.50	32,855
81.75	24,760	91.75	27,969	101.75	30,759	111.75	32,898
82.00	24,844	92.00	28,044	102.00	30,822	112.00	32,939
82.25	24,927	92.25	28,120	102.25	30,884	112.25	32,980
82.50	25,011	92.50	28,195	102.50	30,946	112.50	33,021
82.75	25,094	92.75	28,269	102.75	31,008	112.75	33,060
83.00	25,178	93.00	28,344	103.00	31,069	113.00	33,099
83.25	25,261	93.25	28,418	103.25	31,129	113.25	33,137
83.50	25,344	93.50	28,492	103.50	31,190	113.50	33,174
83.75	25,427	93.75	28,566	103.75	31,249	113.75	33,211
84.00	25,509	94.00	28,639	104.00	31,309	114.00	33,246
84.25	25,592	94.25	28,713	104.25	31,368	114.25	33,281
84.50	25,674	94.50	28,786	104.50	31,426	114.50	33,315
84.75	25,756	94.75	28,858	104.75	31,484	114.75	33,347
85.00	25,838	95.00	28,930	105.00	31,542	115.00	33,379
85.25	25,920	95.25	29,002	105.25	31,599	115.25	33,410
85.50	26,001	95.50	29,074	105.50	31,655	115.50	33,440
85.75	26,082	95.75	29,146	105.75	31,712	115.75	33,469
86.00	26,164	96.00	29,217	106.00	31,767	116.00	33,497
86.25	26,244	96.25	29,287	106.25	31,822	116.25	33,524
86.50	26,325	96.50	29,358	106.50	31,877	116.50	33,549
86.75	26,406	96.75	29,428	106.75	31,931	116.75	33,573
87.00	26,486	97.00	29,498	107.00	31,985	117.00	33,596
87.25	26,566	97.25	29,567	107.25	32,038	117.25	33,618
87.50	26,646	97.50	29,637	107.50	32,091	117.50	33,638
87.75	26,725	97.75	29,705	107.75	32,143	117.75	33,656
88.00	26,805	98.00	29,774	108.00	32,194	118.00	33,673
88.25	26,884	98.25	29,842	108.25	32,245	118.25	33,688
88.50	26,963	98.50	29,910	108.50	32,296	118.50	33,700
88.75	27,042	98.75	29,978	108.75	32,346	118.75	33,710
89.00	27,120	99.00	30,045	109.00	32,395	119.00	33,715
89.25	27,199	99.25	30,111	109.25	32,444		
89.50	27,277	99.50	30,178	109.50	32,492		
89.75	27,355	99.75	30,244	109.75	32,540		
90.00	27,432	100.00	30,310	110.00	32,587		

