

**OFOX 34802****Gage Table Information**Reporting Marks: **OFOX 34802**

Trinity File Number: 9156

Capacity: 33,667 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 199

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,368	20.25	3,732	30.25	6,664
0.50	15	10.50	1,417	20.50	3,800	30.50	6,743
0.75	28	10.75	1,468	20.75	3,868	30.75	6,821
1.00	42	11.00	1,519	21.00	3,936	31.00	6,900
1.25	59	11.25	1,570	21.25	4,004	31.25	6,980
1.50	77	11.50	1,622	21.50	4,073	31.50	7,059
1.75	97	11.75	1,675	21.75	4,142	31.75	7,139
2.00	119	12.00	1,728	22.00	4,211	32.00	7,219
2.25	142	12.25	1,781	22.25	4,281	32.25	7,299
2.50	166	12.50	1,836	22.50	4,351	32.50	7,380
2.75	191	12.75	1,890	22.75	4,422	32.75	7,460
3.00	218	13.00	1,945	23.00	4,492	33.00	7,541
3.25	246	13.25	2,001	23.25	4,563	33.25	7,622
3.50	275	13.50	2,057	23.50	4,635	33.50	7,703
3.75	305	13.75	2,113	23.75	4,706	33.75	7,784
4.00	336	14.00	2,170	24.00	4,778	34.00	7,866
4.25	367	14.25	2,228	24.25	4,850	34.25	7,948
4.50	400	14.50	2,286	24.50	4,923	34.50	8,030
4.75	434	14.75	2,344	24.75	4,995	34.75	8,112
5.00	469	15.00	2,403	25.00	5,069	35.00	8,194
5.25	504	15.25	2,462	25.25	5,142	35.25	8,277
5.50	540	15.50	2,522	25.50	5,215	35.50	8,359
5.75	578	15.75	2,582	25.75	5,289	35.75	8,442
6.00	615	16.00	2,643	26.00	5,364	36.00	8,525
6.25	654	16.25	2,704	26.25	5,438	36.25	8,608
6.50	694	16.50	2,765	26.50	5,513	36.50	8,692
6.75	734	16.75	2,827	26.75	5,588	36.75	8,775
7.00	775	17.00	2,889	27.00	5,663	37.00	8,859
7.25	817	17.25	2,952	27.25	5,738	37.25	8,943
7.50	859	17.50	3,015	27.50	5,814	37.50	9,027
7.75	902	17.75	3,078	27.75	5,890	37.75	9,111
8.00	946	18.00	3,142	28.00	5,967	38.00	9,196
8.25	990	18.25	3,206	28.25	6,043	38.25	9,280
8.50	1,035	18.50	3,270	28.50	6,120	38.50	9,365
8.75	1,081	18.75	3,335	28.75	6,197	38.75	9,450
9.00	1,127	19.00	3,401	29.00	6,274	39.00	9,535
9.25	1,174	19.25	3,466	29.25	6,352	39.25	9,620
9.50	1,221	19.50	3,532	29.50	6,429	39.50	9,705
9.75	1,270	19.75	3,599	29.75	6,507	39.75	9,790

**OFOX 34802****Gage Table Information**Reporting Marks: **OFOX 34802**

Trinity File Number: 9156

Capacity: 33,667 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 199

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,962	50.25	13,483	60.25	17,107	70.25	20,722
40.50	10,047	50.50	13,572	60.50	17,198	70.50	20,812
40.75	10,133	50.75	13,662	60.75	17,288	70.75	20,901
41.00	10,220	51.00	13,752	61.00	17,379	71.00	20,990
41.25	10,306	51.25	13,842	61.25	17,470	71.25	21,079
41.50	10,392	51.50	13,932	61.50	17,561	71.50	21,168
41.75	10,479	51.75	14,022	61.75	17,652	71.75	21,257
42.00	10,565	52.00	14,112	62.00	17,743	72.00	21,346
42.25	10,652	52.25	14,203	62.25	17,834	72.25	21,435
42.50	10,739	52.50	14,293	62.50	17,925	72.50	21,523
42.75	10,826	52.75	14,383	62.75	18,016	72.75	21,612
43.00	10,913	53.00	14,474	63.00	18,106	73.00	21,700
43.25	11,000	53.25	14,564	63.25	18,197	73.25	21,789
43.50	11,088	53.50	14,654	63.50	18,288	73.50	21,877
43.75	11,175	53.75	14,745	63.75	18,379	73.75	21,965
44.00	11,263	54.00	14,836	64.00	18,469	74.00	22,053
44.25	11,350	54.25	14,926	64.25	18,560	74.25	22,141
44.50	11,438	54.50	15,017	64.50	18,651	74.50	22,229
44.75	11,526	54.75	15,107	64.75	18,741	74.75	22,317
45.00	11,614	55.00	15,198	65.00	18,832	75.00	22,405
45.25	11,702	55.25	15,289	65.25	18,922	75.25	22,492
45.50	11,790	55.50	15,379	65.50	19,013	75.50	22,580
45.75	11,878	55.75	15,470	65.75	19,103	75.75	22,667
46.00	11,967	56.00	15,561	66.00	19,194	76.00	22,754
46.25	12,055	56.25	15,652	66.25	19,284	76.25	22,842
46.50	12,144	56.50	15,743	66.50	19,374	76.50	22,929
46.75	12,233	56.75	15,833	66.75	19,465	76.75	23,015
47.00	12,321	57.00	15,924	67.00	19,555	77.00	23,102
47.25	12,410	57.25	16,015	67.25	19,645	77.25	23,189
47.50	12,499	57.50	16,106	67.50	19,735	77.50	23,275
47.75	12,588	57.75	16,197	67.75	19,825	77.75	23,362
48.00	12,677	58.00	16,288	68.00	19,915	78.00	23,448
48.25	12,766	58.25	16,379	68.25	20,005	78.25	23,534
48.50	12,856	58.50	16,470	68.50	20,095	78.50	23,620
48.75	12,945	58.75	16,561	68.75	20,185	78.75	23,706
49.00	13,034	59.00	16,652	69.00	20,275	79.00	23,791
49.25	13,124	59.25	16,743	69.25	20,364	79.25	23,877
49.50	13,213	59.50	16,834	69.50	20,454	79.50	23,962
49.75	13,303	59.75	16,925	69.75	20,543	79.75	24,048
50.00	13,393	60.00	17,016	70.00	20,633	80.00	24,133

**OFOX 34802****Gage Table Information**Reporting Marks: **OFOX 34802**

Trinity File Number: 9156

Capacity: 33,667 Gallons

Tare Weight: 99,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 199

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,218	90.25	27,471	100.25	30,332	110.25	32,587
80.50	24,303	90.50	27,548	100.50	30,397	110.50	32,632
80.75	24,387	90.75	27,624	100.75	30,461	110.75	32,677
81.00	24,472	91.00	27,701	101.00	30,526	111.00	32,722
81.25	24,556	91.25	27,777	101.25	30,589	111.25	32,765
81.50	24,640	91.50	27,853	101.50	30,653	111.50	32,808
81.75	24,724	91.75	27,929	101.75	30,716	111.75	32,851
82.00	24,808	92.00	28,004	102.00	30,778	112.00	32,893
82.25	24,892	92.25	28,080	102.25	30,841	112.25	32,933
82.50	24,976	92.50	28,155	102.50	30,902	112.50	32,974
82.75	25,059	92.75	28,229	102.75	30,964	112.75	33,013
83.00	25,142	93.00	28,304	103.00	31,025	113.00	33,052
83.25	25,225	93.25	28,378	103.25	31,085	113.25	33,090
83.50	25,308	93.50	28,452	103.50	31,145	113.50	33,127
83.75	25,391	93.75	28,525	103.75	31,205	113.75	33,163
84.00	25,473	94.00	28,599	104.00	31,264	114.00	33,199
84.25	25,556	94.25	28,672	104.25	31,323	114.25	33,233
84.50	25,638	94.50	28,745	104.50	31,382	114.50	33,267
84.75	25,720	94.75	28,817	104.75	31,439	114.75	33,300
85.00	25,801	95.00	28,889	105.00	31,497	115.00	33,332
85.25	25,883	95.25	28,961	105.25	31,554	115.25	33,363
85.50	25,964	95.50	29,033	105.50	31,610	115.50	33,393
85.75	26,045	95.75	29,104	105.75	31,667	115.75	33,421
86.00	26,126	96.00	29,175	106.00	31,722	116.00	33,449
86.25	26,207	96.25	29,246	106.25	31,777	116.25	33,476
86.50	26,288	96.50	29,316	106.50	31,832	116.50	33,501
86.75	26,368	96.75	29,386	106.75	31,886	116.75	33,526
87.00	26,448	97.00	29,456	107.00	31,939	117.00	33,549
87.25	26,528	97.25	29,525	107.25	31,993	117.25	33,570
87.50	26,608	97.50	29,594	107.50	32,045	117.50	33,590
87.75	26,688	97.75	29,663	107.75	32,097	117.75	33,609
88.00	26,767	98.00	29,732	108.00	32,149	118.00	33,625
88.25	26,846	98.25	29,800	108.25	32,200	118.25	33,640
88.50	26,925	98.50	29,868	108.50	32,250	118.50	33,652
88.75	27,003	98.75	29,935	108.75	32,300	118.75	33,662
89.00	27,082	99.00	30,002	109.00	32,349	119.00	33,667
89.25	27,160	99.25	30,069	109.25	32,398		
89.50	27,238	99.50	30,135	109.50	32,446		
89.75	27,316	99.75	30,201	109.75	32,493		
90.00	27,393	100.00	30,267	110.00	32,540		

