

**OFOX 34759****Gage Table Information**Reporting Marks: **OFOX 34759**

Trinity File Number: 9156

Capacity: 33,654 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 156

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,366	20.25	3,730	30.25	6,661
0.50	14	10.50	1,416	20.50	3,798	30.50	6,739
0.75	27	10.75	1,467	20.75	3,865	30.75	6,818
1.00	41	11.00	1,517	21.00	3,934	31.00	6,897
1.25	58	11.25	1,569	21.25	4,002	31.25	6,977
1.50	77	11.50	1,621	21.50	4,071	31.50	7,056
1.75	97	11.75	1,673	21.75	4,140	31.75	7,136
2.00	118	12.00	1,727	22.00	4,209	32.00	7,216
2.25	141	12.25	1,780	22.25	4,279	32.25	7,296
2.50	165	12.50	1,834	22.50	4,349	32.50	7,376
2.75	191	12.75	1,889	22.75	4,419	32.75	7,457
3.00	217	13.00	1,944	23.00	4,490	33.00	7,537
3.25	245	13.25	1,999	23.25	4,561	33.25	7,618
3.50	274	13.50	2,055	23.50	4,632	33.50	7,700
3.75	304	13.75	2,112	23.75	4,704	33.75	7,781
4.00	335	14.00	2,169	24.00	4,776	34.00	7,862
4.25	367	14.25	2,226	24.25	4,848	34.25	7,944
4.50	399	14.50	2,284	24.50	4,920	34.50	8,026
4.75	433	14.75	2,343	24.75	4,993	34.75	8,108
5.00	468	15.00	2,401	25.00	5,066	35.00	8,190
5.25	503	15.25	2,461	25.25	5,139	35.25	8,273
5.50	540	15.50	2,520	25.50	5,213	35.50	8,356
5.75	577	15.75	2,580	25.75	5,287	35.75	8,438
6.00	615	16.00	2,641	26.00	5,361	36.00	8,521
6.25	653	16.25	2,702	26.25	5,435	36.25	8,605
6.50	693	16.50	2,763	26.50	5,510	36.50	8,688
6.75	733	16.75	2,825	26.75	5,585	36.75	8,771
7.00	774	17.00	2,887	27.00	5,660	37.00	8,855
7.25	815	17.25	2,950	27.25	5,736	37.25	8,939
7.50	858	17.50	3,013	27.50	5,811	37.50	9,023
7.75	901	17.75	3,076	27.75	5,887	37.75	9,107
8.00	945	18.00	3,140	28.00	5,964	38.00	9,191
8.25	989	18.25	3,204	28.25	6,040	38.25	9,276
8.50	1,034	18.50	3,269	28.50	6,117	38.50	9,361
8.75	1,080	18.75	3,333	28.75	6,194	38.75	9,445
9.00	1,126	19.00	3,399	29.00	6,271	39.00	9,530
9.25	1,173	19.25	3,464	29.25	6,349	39.25	9,615
9.50	1,220	19.50	3,530	29.50	6,426	39.50	9,701
9.75	1,268	19.75	3,597	29.75	6,504	39.75	9,786

**OFOX 34759****Gage Table Information**Reporting Marks: **OFOX 34759**

Trinity File Number: 9156

Capacity: 33,654 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 156

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,957	50.25	13,477	60.25	17,100	70.25	20,714
40.50	10,043	50.50	13,567	60.50	17,191	70.50	20,803
40.75	10,129	50.75	13,657	60.75	17,281	70.75	20,893
41.00	10,215	51.00	13,746	61.00	17,372	71.00	20,982
41.25	10,301	51.25	13,836	61.25	17,463	71.25	21,071
41.50	10,388	51.50	13,926	61.50	17,554	71.50	21,160
41.75	10,474	51.75	14,016	61.75	17,645	71.75	21,249
42.00	10,561	52.00	14,107	62.00	17,736	72.00	21,338
42.25	10,647	52.25	14,197	62.25	17,827	72.25	21,426
42.50	10,734	52.50	14,287	62.50	17,918	72.50	21,515
42.75	10,821	52.75	14,377	62.75	18,008	72.75	21,603
43.00	10,908	53.00	14,468	63.00	18,099	73.00	21,692
43.25	10,995	53.25	14,558	63.25	18,190	73.25	21,780
43.50	11,083	53.50	14,648	63.50	18,281	73.50	21,869
43.75	11,170	53.75	14,739	63.75	18,371	73.75	21,957
44.00	11,258	54.00	14,829	64.00	18,462	74.00	22,045
44.25	11,345	54.25	14,920	64.25	18,553	74.25	22,133
44.50	11,433	54.50	15,010	64.50	18,643	74.50	22,221
44.75	11,521	54.75	15,101	64.75	18,734	74.75	22,308
45.00	11,609	55.00	15,192	65.00	18,824	75.00	22,396
45.25	11,697	55.25	15,282	65.25	18,915	75.25	22,483
45.50	11,785	55.50	15,373	65.50	19,005	75.50	22,571
45.75	11,873	55.75	15,464	65.75	19,096	75.75	22,658
46.00	11,962	56.00	15,555	66.00	19,186	76.00	22,745
46.25	12,050	56.25	15,645	66.25	19,276	76.25	22,832
46.50	12,139	56.50	15,736	66.50	19,367	76.50	22,919
46.75	12,227	56.75	15,827	66.75	19,457	76.75	23,006
47.00	12,316	57.00	15,918	67.00	19,547	77.00	23,093
47.25	12,405	57.25	16,009	67.25	19,637	77.25	23,180
47.50	12,494	57.50	16,100	67.50	19,727	77.50	23,266
47.75	12,583	57.75	16,190	67.75	19,817	77.75	23,352
48.00	12,672	58.00	16,281	68.00	19,907	78.00	23,439
48.25	12,761	58.25	16,372	68.25	19,997	78.25	23,525
48.50	12,850	58.50	16,463	68.50	20,087	78.50	23,611
48.75	12,940	58.75	16,554	68.75	20,177	78.75	23,696
49.00	13,029	59.00	16,645	69.00	20,267	79.00	23,782
49.25	13,118	59.25	16,736	69.25	20,356	79.25	23,868
49.50	13,208	59.50	16,827	69.50	20,446	79.50	23,953
49.75	13,298	59.75	16,918	69.75	20,535	79.75	24,038
50.00	13,387	60.00	17,009	70.00	20,625	80.00	24,123

**OFOX 34759****Gage Table Information**Reporting Marks: **OFOX 34759**

Trinity File Number: 9156

Capacity: 33,654 Gallons

Tare Weight: 100,100 lb.

Max. Weight On Rail: Not Available

Tank Number: 156

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,208	90.25	27,460	100.25	30,320	110.25	32,574
80.50	24,293	90.50	27,537	100.50	30,385	110.50	32,620
80.75	24,378	90.75	27,614	100.75	30,450	110.75	32,665
81.00	24,462	91.00	27,690	101.00	30,514	111.00	32,709
81.25	24,547	91.25	27,766	101.25	30,578	111.25	32,753
81.50	24,631	91.50	27,842	101.50	30,641	111.50	32,796
81.75	24,715	91.75	27,918	101.75	30,704	111.75	32,838
82.00	24,799	92.00	27,993	102.00	30,766	112.00	32,880
82.25	24,882	92.25	28,069	102.25	30,829	112.25	32,921
82.50	24,966	92.50	28,144	102.50	30,890	112.50	32,961
82.75	25,049	92.75	28,218	102.75	30,952	112.75	33,000
83.00	25,132	93.00	28,293	103.00	31,013	113.00	33,039
83.25	25,215	93.25	28,367	103.25	31,073	113.25	33,077
83.50	25,298	93.50	28,441	103.50	31,133	113.50	33,114
83.75	25,381	93.75	28,514	103.75	31,193	113.75	33,150
84.00	25,463	94.00	28,588	104.00	31,252	114.00	33,186
84.25	25,545	94.25	28,661	104.25	31,311	114.25	33,221
84.50	25,628	94.50	28,733	104.50	31,369	114.50	33,254
84.75	25,710	94.75	28,806	104.75	31,427	114.75	33,287
85.00	25,791	95.00	28,878	105.00	31,485	115.00	33,319
85.25	25,873	95.25	28,950	105.25	31,542	115.25	33,350
85.50	25,954	95.50	29,022	105.50	31,598	115.50	33,380
85.75	26,035	95.75	29,093	105.75	31,654	115.75	33,409
86.00	26,116	96.00	29,164	106.00	31,710	116.00	33,436
86.25	26,197	96.25	29,234	106.25	31,765	116.25	33,463
86.50	26,278	96.50	29,305	106.50	31,819	116.50	33,488
86.75	26,358	96.75	29,375	106.75	31,874	116.75	33,513
87.00	26,438	97.00	29,445	107.00	31,927	117.00	33,536
87.25	26,518	97.25	29,514	107.25	31,980	117.25	33,557
87.50	26,598	97.50	29,583	107.50	32,033	117.50	33,577
87.75	26,677	97.75	29,652	107.75	32,085	117.75	33,596
88.00	26,756	98.00	29,720	108.00	32,136	118.00	33,612
88.25	26,835	98.25	29,788	108.25	32,187	118.25	33,627
88.50	26,914	98.50	29,856	108.50	32,238	118.50	33,639
88.75	26,993	98.75	29,923	108.75	32,287	118.75	33,649
89.00	27,071	99.00	29,990	109.00	32,337	119.00	33,654
89.25	27,150	99.25	30,057	109.25	32,385		
89.50	27,227	99.50	30,123	109.50	32,433		
89.75	27,305	99.75	30,189	109.75	32,481		
90.00	27,383	100.00	30,255	110.00	32,528		

