

**OFOX 34753****Gage Table Information**Reporting Marks: **OFOX 34753**

Trinity File Number: 9156

Capacity: 33,721 Gallons

Tare Weight: 100,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 150

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,369	20.25	3,738	30.25	6,674
0.50	15	10.50	1,419	20.50	3,806	30.50	6,753
0.75	27	10.75	1,470	20.75	3,874	30.75	6,832
1.00	42	11.00	1,521	21.00	3,942	31.00	6,911
1.25	59	11.25	1,572	21.25	4,010	31.25	6,991
1.50	77	11.50	1,625	21.50	4,079	31.50	7,070
1.75	97	11.75	1,677	21.75	4,148	31.75	7,150
2.00	119	12.00	1,730	22.00	4,218	32.00	7,230
2.25	142	12.25	1,784	22.25	4,288	32.25	7,311
2.50	166	12.50	1,838	22.50	4,358	32.50	7,391
2.75	191	12.75	1,893	22.75	4,428	32.75	7,472
3.00	218	13.00	1,948	23.00	4,499	33.00	7,553
3.25	246	13.25	2,004	23.25	4,570	33.25	7,634
3.50	275	13.50	2,060	23.50	4,642	33.50	7,715
3.75	305	13.75	2,117	23.75	4,713	33.75	7,797
4.00	336	14.00	2,174	24.00	4,785	34.00	7,878
4.25	368	14.25	2,231	24.25	4,858	34.25	7,960
4.50	401	14.50	2,289	24.50	4,930	34.50	8,042
4.75	434	14.75	2,348	24.75	5,003	34.75	8,125
5.00	469	15.00	2,407	25.00	5,076	35.00	8,207
5.25	505	15.25	2,466	25.25	5,150	35.25	8,290
5.50	541	15.50	2,526	25.50	5,224	35.50	8,373
5.75	578	15.75	2,586	25.75	5,298	35.75	8,456
6.00	616	16.00	2,647	26.00	5,372	36.00	8,539
6.25	655	16.25	2,708	26.25	5,447	36.25	8,622
6.50	694	16.50	2,769	26.50	5,521	36.50	8,706
6.75	735	16.75	2,831	26.75	5,596	36.75	8,789
7.00	776	17.00	2,893	27.00	5,672	37.00	8,873
7.25	817	17.25	2,956	27.25	5,747	37.25	8,957
7.50	860	17.50	3,019	27.50	5,823	37.50	9,041
7.75	903	17.75	3,083	27.75	5,899	37.75	9,126
8.00	947	18.00	3,147	28.00	5,976	38.00	9,210
8.25	991	18.25	3,211	28.25	6,053	38.25	9,295
8.50	1,036	18.50	3,275	28.50	6,129	38.50	9,380
8.75	1,082	18.75	3,340	28.75	6,207	38.75	9,465
9.00	1,128	19.00	3,406	29.00	6,284	39.00	9,550
9.25	1,175	19.25	3,472	29.25	6,362	39.25	9,635
9.50	1,223	19.50	3,538	29.50	6,439	39.50	9,720
9.75	1,271	19.75	3,604	29.75	6,518	39.75	9,806

**OFOX 34753****Gage Table Information**Reporting Marks: **OFOX 34753**

Trinity File Number: 9156

Capacity: 33,721 Gallons

Tare Weight: 100,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 150

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,977	50.25	13,504	60.25	17,134	70.25	20,755
40.50	10,063	50.50	13,594	60.50	17,225	70.50	20,845
40.75	10,149	50.75	13,684	60.75	17,316	70.75	20,934
41.00	10,236	51.00	13,774	61.00	17,407	71.00	21,024
41.25	10,322	51.25	13,864	61.25	17,498	71.25	21,113
41.50	10,409	51.50	13,954	61.50	17,589	71.50	21,202
41.75	10,495	51.75	14,045	61.75	17,680	71.75	21,291
42.00	10,582	52.00	14,135	62.00	17,771	72.00	21,380
42.25	10,669	52.25	14,225	62.25	17,862	72.25	21,469
42.50	10,756	52.50	14,316	62.50	17,953	72.50	21,558
42.75	10,843	52.75	14,406	62.75	18,044	72.75	21,646
43.00	10,930	53.00	14,497	63.00	18,135	73.00	21,735
43.25	11,018	53.25	14,587	63.25	18,226	73.25	21,824
43.50	11,105	53.50	14,678	63.50	18,317	73.50	21,912
43.75	11,193	53.75	14,768	63.75	18,408	73.75	22,000
44.00	11,280	54.00	14,859	64.00	18,499	74.00	22,089
44.25	11,368	54.25	14,950	64.25	18,590	74.25	22,177
44.50	11,456	54.50	15,041	64.50	18,680	74.50	22,265
44.75	11,544	54.75	15,131	64.75	18,771	74.75	22,353
45.00	11,632	55.00	15,222	65.00	18,862	75.00	22,441
45.25	11,721	55.25	15,313	65.25	18,953	75.25	22,528
45.50	11,809	55.50	15,404	65.50	19,043	75.50	22,616
45.75	11,897	55.75	15,495	65.75	19,134	75.75	22,703
46.00	11,986	56.00	15,586	66.00	19,224	76.00	22,791
46.25	12,075	56.25	15,677	66.25	19,315	76.25	22,878
46.50	12,163	56.50	15,768	66.50	19,405	76.50	22,965
46.75	12,252	56.75	15,859	66.75	19,496	76.75	23,052
47.00	12,341	57.00	15,950	67.00	19,586	77.00	23,139
47.25	12,430	57.25	16,041	67.25	19,676	77.25	23,226
47.50	12,519	57.50	16,132	67.50	19,767	77.50	23,312
47.75	12,608	57.75	16,223	67.75	19,857	77.75	23,399
48.00	12,697	58.00	16,314	68.00	19,947	78.00	23,485
48.25	12,787	58.25	16,405	68.25	20,037	78.25	23,571
48.50	12,876	58.50	16,496	68.50	20,127	78.50	23,658
48.75	12,966	58.75	16,587	68.75	20,217	78.75	23,744
49.00	13,055	59.00	16,678	69.00	20,307	79.00	23,829
49.25	13,145	59.25	16,769	69.25	20,397	79.25	23,915
49.50	13,234	59.50	16,860	69.50	20,487	79.50	24,001
49.75	13,324	59.75	16,952	69.75	20,576	79.75	24,086
50.00	13,414	60.00	17,043	70.00	20,666	80.00	24,171

**OFOX 34753****Gage Table Information**Reporting Marks: **OFOX 34753**

Trinity File Number: 9156

Capacity: 33,721 Gallons

Tare Weight: 100,500 lb.

Max. Weight On Rail: Not Available

Tank Number: 150

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,256	90.25	27,514	100.25	30,381	110.25	32,639
80.50	24,341	90.50	27,592	100.50	30,446	110.50	32,685
80.75	24,426	90.75	27,668	100.75	30,510	110.75	32,730
81.00	24,511	91.00	27,745	101.00	30,574	111.00	32,774
81.25	24,595	91.25	27,821	101.25	30,638	111.25	32,818
81.50	24,680	91.50	27,898	101.50	30,702	111.50	32,861
81.75	24,764	91.75	27,973	101.75	30,765	111.75	32,903
82.00	24,848	92.00	28,049	102.00	30,828	112.00	32,945
82.25	24,932	92.25	28,124	102.25	30,890	112.25	32,986
82.50	25,015	92.50	28,200	102.50	30,952	112.50	33,027
82.75	25,099	92.75	28,274	102.75	31,013	112.75	33,066
83.00	25,182	93.00	28,349	103.00	31,074	113.00	33,105
83.25	25,265	93.25	28,423	103.25	31,135	113.25	33,143
83.50	25,348	93.50	28,497	103.50	31,195	113.50	33,180
83.75	25,431	93.75	28,571	103.75	31,255	113.75	33,216
84.00	25,514	94.00	28,645	104.00	31,314	114.00	33,252
84.25	25,596	94.25	28,718	104.25	31,373	114.25	33,287
84.50	25,679	94.50	28,791	104.50	31,432	114.50	33,320
84.75	25,761	94.75	28,863	104.75	31,490	114.75	33,353
85.00	25,843	95.00	28,936	105.00	31,547	115.00	33,385
85.25	25,924	95.25	29,008	105.25	31,604	115.25	33,416
85.50	26,006	95.50	29,079	105.50	31,661	115.50	33,446
85.75	26,087	95.75	29,151	105.75	31,717	115.75	33,475
86.00	26,168	96.00	29,222	106.00	31,773	116.00	33,503
86.25	26,249	96.25	29,293	106.25	31,828	116.25	33,530
86.50	26,330	96.50	29,363	106.50	31,883	116.50	33,555
86.75	26,410	96.75	29,433	106.75	31,937	116.75	33,579
87.00	26,491	97.00	29,503	107.00	31,991	117.00	33,602
87.25	26,571	97.25	29,573	107.25	32,044	117.25	33,624
87.50	26,651	97.50	29,642	107.50	32,096	117.50	33,644
87.75	26,730	97.75	29,711	107.75	32,149	117.75	33,662
88.00	26,810	98.00	29,779	108.00	32,200	118.00	33,679
88.25	26,889	98.25	29,847	108.25	32,251	118.25	33,694
88.50	26,968	98.50	29,915	108.50	32,302	118.50	33,706
88.75	27,047	98.75	29,983	108.75	32,352	118.75	33,716
89.00	27,125	99.00	30,050	109.00	32,401	119.00	33,721
89.25	27,203	99.25	30,117	109.25	32,450		
89.50	27,282	99.50	30,183	109.50	32,498		
89.75	27,359	99.75	30,249	109.75	32,545		
90.00	27,437	100.00	30,315	110.00	32,592		

