

**OFOX 34751****Gage Table Information**Reporting Marks: **OFOX 34751**

Trinity File Number: 9156

Capacity: 33,717 Gallons

Tare Weight: 100,300 lb.

Max. Weight On Rail: Not Available

Tank Number: 148

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,369	20.25	3,737	30.25	6,673
0.50	14	10.50	1,419	20.50	3,805	30.50	6,752
0.75	27	10.75	1,469	20.75	3,873	30.75	6,831
1.00	41	11.00	1,520	21.00	3,941	31.00	6,910
1.25	58	11.25	1,572	21.25	4,009	31.25	6,990
1.50	77	11.50	1,624	21.50	4,078	31.50	7,069
1.75	97	11.75	1,677	21.75	4,148	31.75	7,149
2.00	118	12.00	1,730	22.00	4,217	32.00	7,229
2.25	141	12.25	1,783	22.25	4,287	32.25	7,310
2.50	165	12.50	1,838	22.50	4,357	32.50	7,390
2.75	191	12.75	1,892	22.75	4,428	32.75	7,471
3.00	218	13.00	1,948	23.00	4,498	33.00	7,552
3.25	245	13.25	2,003	23.25	4,569	33.25	7,633
3.50	274	13.50	2,059	23.50	4,641	33.50	7,714
3.75	304	13.75	2,116	23.75	4,713	33.75	7,796
4.00	335	14.00	2,173	24.00	4,785	34.00	7,877
4.25	367	14.25	2,231	24.25	4,857	34.25	7,959
4.50	400	14.50	2,289	24.50	4,929	34.50	8,041
4.75	434	14.75	2,347	24.75	5,002	34.75	8,123
5.00	469	15.00	2,406	25.00	5,075	35.00	8,206
5.25	504	15.25	2,465	25.25	5,149	35.25	8,288
5.50	540	15.50	2,525	25.50	5,223	35.50	8,371
5.75	578	15.75	2,585	25.75	5,297	35.75	8,454
6.00	616	16.00	2,646	26.00	5,371	36.00	8,537
6.25	654	16.25	2,707	26.25	5,446	36.25	8,621
6.50	694	16.50	2,768	26.50	5,520	36.50	8,704
6.75	734	16.75	2,830	26.75	5,595	36.75	8,788
7.00	775	17.00	2,893	27.00	5,671	37.00	8,872
7.25	817	17.25	2,955	27.25	5,746	37.25	8,956
7.50	859	17.50	3,018	27.50	5,822	37.50	9,040
7.75	903	17.75	3,082	27.75	5,898	37.75	9,124
8.00	946	18.00	3,146	28.00	5,975	38.00	9,209
8.25	991	18.25	3,210	28.25	6,051	38.25	9,293
8.50	1,036	18.50	3,275	28.50	6,128	38.50	9,378
8.75	1,082	18.75	3,340	28.75	6,206	38.75	9,463
9.00	1,128	19.00	3,405	29.00	6,283	39.00	9,548
9.25	1,175	19.25	3,471	29.25	6,360	39.25	9,633
9.50	1,223	19.50	3,537	29.50	6,438	39.50	9,719
9.75	1,271	19.75	3,603	29.75	6,516	39.75	9,804

**OFOX 34751****Gage Table Information**Reporting Marks: **OFOX 34751**

Trinity File Number: 9156

Capacity: 33,717 Gallons

Tare Weight: 100,300 lb.

Max. Weight On Rail: Not Available

Tank Number: 148

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,976	50.25	13,502	60.25	17,132	70.25	20,753
40.50	10,062	50.50	13,592	60.50	17,223	70.50	20,842
40.75	10,148	50.75	13,682	60.75	17,314	70.75	20,932
41.00	10,234	51.00	13,772	61.00	17,405	71.00	21,021
41.25	10,321	51.25	13,862	61.25	17,496	71.25	21,110
41.50	10,407	51.50	13,952	61.50	17,587	71.50	21,199
41.75	10,494	51.75	14,043	61.75	17,678	71.75	21,288
42.00	10,580	52.00	14,133	62.00	17,769	72.00	21,377
42.25	10,667	52.25	14,223	62.25	17,860	72.25	21,466
42.50	10,754	52.50	14,314	62.50	17,951	72.50	21,555
42.75	10,841	52.75	14,404	62.75	18,042	72.75	21,644
43.00	10,929	53.00	14,495	63.00	18,133	73.00	21,732
43.25	11,016	53.25	14,585	63.25	18,224	73.25	21,821
43.50	11,104	53.50	14,676	63.50	18,315	73.50	21,909
43.75	11,191	53.75	14,766	63.75	18,406	73.75	21,998
44.00	11,279	54.00	14,857	64.00	18,496	74.00	22,086
44.25	11,367	54.25	14,948	64.25	18,587	74.25	22,174
44.50	11,455	54.50	15,039	64.50	18,678	74.50	22,262
44.75	11,543	54.75	15,129	64.75	18,769	74.75	22,350
45.00	11,631	55.00	15,220	65.00	18,859	75.00	22,438
45.25	11,719	55.25	15,311	65.25	18,950	75.25	22,525
45.50	11,807	55.50	15,402	65.50	19,041	75.50	22,613
45.75	11,896	55.75	15,493	65.75	19,131	75.75	22,701
46.00	11,984	56.00	15,584	66.00	19,222	76.00	22,788
46.25	12,073	56.25	15,675	66.25	19,312	76.25	22,875
46.50	12,162	56.50	15,766	66.50	19,403	76.50	22,962
46.75	12,250	56.75	15,857	66.75	19,493	76.75	23,049
47.00	12,339	57.00	15,948	67.00	19,584	77.00	23,136
47.25	12,428	57.25	16,039	67.25	19,674	77.25	23,223
47.50	12,517	57.50	16,130	67.50	19,764	77.50	23,309
47.75	12,606	57.75	16,221	67.75	19,854	77.75	23,396
48.00	12,696	58.00	16,312	68.00	19,944	78.00	23,482
48.25	12,785	58.25	16,403	68.25	20,034	78.25	23,569
48.50	12,874	58.50	16,494	68.50	20,125	78.50	23,655
48.75	12,964	58.75	16,585	68.75	20,214	78.75	23,741
49.00	13,053	59.00	16,676	69.00	20,304	79.00	23,826
49.25	13,143	59.25	16,767	69.25	20,394	79.25	23,912
49.50	13,233	59.50	16,858	69.50	20,484	79.50	23,998
49.75	13,322	59.75	16,949	69.75	20,574	79.75	24,083
50.00	13,412	60.00	17,040	70.00	20,663	80.00	24,168

**OFOX 34751****Gage Table Information**Reporting Marks: **OFOX 34751**

Trinity File Number: 9156

Capacity: 33,717 Gallons

Tare Weight: 100,300 lb.

Max. Weight On Rail: Not Available

Tank Number: 148

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,253	90.25	27,511	100.25	30,377	110.25	32,635
80.50	24,338	90.50	27,588	100.50	30,442	110.50	32,681
80.75	24,423	90.75	27,665	100.75	30,507	110.75	32,726
81.00	24,508	91.00	27,742	101.00	30,571	111.00	32,770
81.25	24,592	91.25	27,818	101.25	30,635	111.25	32,814
81.50	24,677	91.50	27,894	101.50	30,698	111.50	32,857
81.75	24,761	91.75	27,970	101.75	30,761	111.75	32,900
82.00	24,845	92.00	28,046	102.00	30,824	112.00	32,941
82.25	24,929	92.25	28,121	102.25	30,886	112.25	32,982
82.50	25,012	92.50	28,196	102.50	30,948	112.50	33,023
82.75	25,096	92.75	28,271	102.75	31,010	112.75	33,062
83.00	25,179	93.00	28,346	103.00	31,071	113.00	33,101
83.25	25,262	93.25	28,420	103.25	31,131	113.25	33,139
83.50	25,345	93.50	28,494	103.50	31,191	113.50	33,176
83.75	25,428	93.75	28,568	103.75	31,251	113.75	33,212
84.00	25,511	94.00	28,641	104.00	31,311	114.00	33,248
84.25	25,593	94.25	28,714	104.25	31,370	114.25	33,283
84.50	25,675	94.50	28,787	104.50	31,428	114.50	33,316
84.75	25,757	94.75	28,860	104.75	31,486	114.75	33,349
85.00	25,839	95.00	28,932	105.00	31,544	115.00	33,381
85.25	25,921	95.25	29,004	105.25	31,601	115.25	33,412
85.50	26,003	95.50	29,076	105.50	31,657	115.50	33,442
85.75	26,084	95.75	29,147	105.75	31,713	115.75	33,471
86.00	26,165	96.00	29,218	106.00	31,769	116.00	33,499
86.25	26,246	96.25	29,289	106.25	31,824	116.25	33,526
86.50	26,327	96.50	29,360	106.50	31,879	116.50	33,551
86.75	26,407	96.75	29,430	106.75	31,933	116.75	33,575
87.00	26,487	97.00	29,500	107.00	31,987	117.00	33,598
87.25	26,567	97.25	29,569	107.25	32,040	117.25	33,620
87.50	26,647	97.50	29,638	107.50	32,093	117.50	33,640
87.75	26,727	97.75	29,707	107.75	32,145	117.75	33,658
88.00	26,806	98.00	29,776	108.00	32,196	118.00	33,675
88.25	26,886	98.25	29,844	108.25	32,247	118.25	33,690
88.50	26,965	98.50	29,912	108.50	32,298	118.50	33,702
88.75	27,043	98.75	29,979	108.75	32,348	118.75	33,712
89.00	27,122	99.00	30,046	109.00	32,397	119.00	33,717
89.25	27,200	99.25	30,113	109.25	32,446		
89.50	27,278	99.50	30,180	109.50	32,494		
89.75	27,356	99.75	30,246	109.75	32,542		
90.00	27,434	100.00	30,312	110.00	32,589		

