

**OFOX 34752****Gage Table Information**Reporting Marks: **OFOX 34752**

Trinity File Number: 9156

Capacity: 33,716 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: Not Available

Tank Number: 149

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,369	20.25	3,738	30.25	6,674
0.50	15	10.50	1,419	20.50	3,805	30.50	6,752
0.75	27	10.75	1,470	20.75	3,873	30.75	6,831
1.00	42	11.00	1,521	21.00	3,941	31.00	6,911
1.25	59	11.25	1,572	21.25	4,010	31.25	6,990
1.50	77	11.50	1,625	21.50	4,079	31.50	7,070
1.75	97	11.75	1,677	21.75	4,148	31.75	7,149
2.00	119	12.00	1,730	22.00	4,217	32.00	7,230
2.25	142	12.25	1,784	22.25	4,287	32.25	7,310
2.50	166	12.50	1,838	22.50	4,357	32.50	7,390
2.75	192	12.75	1,893	22.75	4,428	32.75	7,471
3.00	218	13.00	1,948	23.00	4,499	33.00	7,552
3.25	246	13.25	2,004	23.25	4,570	33.25	7,633
3.50	275	13.50	2,060	23.50	4,641	33.50	7,714
3.75	305	13.75	2,116	23.75	4,713	33.75	7,796
4.00	336	14.00	2,174	24.00	4,785	34.00	7,877
4.25	368	14.25	2,231	24.25	4,857	34.25	7,959
4.50	401	14.50	2,289	24.50	4,930	34.50	8,041
4.75	435	14.75	2,348	24.75	5,003	34.75	8,124
5.00	469	15.00	2,406	25.00	5,076	35.00	8,206
5.25	505	15.25	2,466	25.25	5,149	35.25	8,289
5.50	541	15.50	2,526	25.50	5,223	35.50	8,372
5.75	578	15.75	2,586	25.75	5,297	35.75	8,454
6.00	616	16.00	2,646	26.00	5,371	36.00	8,538
6.25	655	16.25	2,708	26.25	5,446	36.25	8,621
6.50	695	16.50	2,769	26.50	5,521	36.50	8,704
6.75	735	16.75	2,831	26.75	5,596	36.75	8,788
7.00	776	17.00	2,893	27.00	5,671	37.00	8,872
7.25	818	17.25	2,956	27.25	5,747	37.25	8,956
7.50	860	17.50	3,019	27.50	5,823	37.50	9,040
7.75	903	17.75	3,082	27.75	5,899	37.75	9,124
8.00	947	18.00	3,146	28.00	5,975	38.00	9,209
8.25	991	18.25	3,211	28.25	6,052	38.25	9,294
8.50	1,036	18.50	3,275	28.50	6,129	38.50	9,378
8.75	1,082	18.75	3,340	28.75	6,206	38.75	9,463
9.00	1,129	19.00	3,406	29.00	6,283	39.00	9,548
9.25	1,176	19.25	3,471	29.25	6,361	39.25	9,634
9.50	1,223	19.50	3,537	29.50	6,439	39.50	9,719
9.75	1,271	19.75	3,604	29.75	6,517	39.75	9,805

**OFOX 34752****Gage Table Information**Reporting Marks: **OFOX 34752**

Trinity File Number: 9156

Capacity: 33,716 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: Not Available

Tank Number: 149

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,976	50.25	13,502	60.25	17,131	70.25	20,752
40.50	10,062	50.50	13,592	60.50	17,222	70.50	20,842
40.75	10,148	50.75	13,682	60.75	17,314	70.75	20,931
41.00	10,234	51.00	13,772	61.00	17,405	71.00	21,021
41.25	10,321	51.25	13,862	61.25	17,496	71.25	21,110
41.50	10,407	51.50	13,952	61.50	17,587	71.50	21,199
41.75	10,494	51.75	14,043	61.75	17,678	71.75	21,288
42.00	10,581	52.00	14,133	62.00	17,769	72.00	21,377
42.25	10,667	52.25	14,223	62.25	17,860	72.25	21,466
42.50	10,754	52.50	14,314	62.50	17,951	72.50	21,555
42.75	10,842	52.75	14,404	62.75	18,042	72.75	21,643
43.00	10,929	53.00	14,495	63.00	18,133	73.00	21,732
43.25	11,016	53.25	14,585	63.25	18,224	73.25	21,820
43.50	11,104	53.50	14,676	63.50	18,314	73.50	21,909
43.75	11,191	53.75	14,766	63.75	18,405	73.75	21,997
44.00	11,279	54.00	14,857	64.00	18,496	74.00	22,085
44.25	11,367	54.25	14,948	64.25	18,587	74.25	22,174
44.50	11,455	54.50	15,038	64.50	18,678	74.50	22,262
44.75	11,543	54.75	15,129	64.75	18,768	74.75	22,349
45.00	11,631	55.00	15,220	65.00	18,859	75.00	22,437
45.25	11,719	55.25	15,311	65.25	18,950	75.25	22,525
45.50	11,807	55.50	15,402	65.50	19,040	75.50	22,613
45.75	11,896	55.75	15,493	65.75	19,131	75.75	22,700
46.00	11,984	56.00	15,584	66.00	19,222	76.00	22,787
46.25	12,073	56.25	15,674	66.25	19,312	76.25	22,875
46.50	12,162	56.50	15,765	66.50	19,402	76.50	22,962
46.75	12,250	56.75	15,856	66.75	19,493	76.75	23,049
47.00	12,339	57.00	15,947	67.00	19,583	77.00	23,136
47.25	12,428	57.25	16,038	67.25	19,674	77.25	23,222
47.50	12,517	57.50	16,129	67.50	19,764	77.50	23,309
47.75	12,606	57.75	16,221	67.75	19,854	77.75	23,395
48.00	12,696	58.00	16,312	68.00	19,944	78.00	23,482
48.25	12,785	58.25	16,403	68.25	20,034	78.25	23,568
48.50	12,874	58.50	16,494	68.50	20,124	78.50	23,654
48.75	12,964	58.75	16,585	68.75	20,214	78.75	23,740
49.00	13,053	59.00	16,676	69.00	20,304	79.00	23,826
49.25	13,143	59.25	16,767	69.25	20,394	79.25	23,912
49.50	13,233	59.50	16,858	69.50	20,484	79.50	23,997
49.75	13,322	59.75	16,949	69.75	20,573	79.75	24,083
50.00	13,412	60.00	17,040	70.00	20,663	80.00	24,168

**OFOX 34752****Gage Table Information**Reporting Marks: **OFOX 34752**

Trinity File Number: 9156

Capacity: 33,716 Gallons

Tare Weight: 100,200 lb.

Max. Weight On Rail: Not Available

Tank Number: 149

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,253	90.25	27,510	100.25	30,376	110.25	32,634
80.50	24,338	90.50	27,588	100.50	30,441	110.50	32,680
80.75	24,423	90.75	27,664	100.75	30,506	110.75	32,725
81.00	24,507	91.00	27,741	101.00	30,570	111.00	32,769
81.25	24,592	91.25	27,817	101.25	30,634	111.25	32,813
81.50	24,676	91.50	27,894	101.50	30,697	111.50	32,856
81.75	24,760	91.75	27,969	101.75	30,760	111.75	32,899
82.00	24,844	92.00	28,045	102.00	30,823	112.00	32,940
82.25	24,928	92.25	28,120	102.25	30,885	112.25	32,981
82.50	25,012	92.50	28,195	102.50	30,947	112.50	33,022
82.75	25,095	92.75	28,270	102.75	31,009	112.75	33,061
83.00	25,179	93.00	28,345	103.00	31,070	113.00	33,100
83.25	25,262	93.25	28,419	103.25	31,130	113.25	33,138
83.50	25,345	93.50	28,493	103.50	31,191	113.50	33,175
83.75	25,428	93.75	28,567	103.75	31,250	113.75	33,211
84.00	25,510	94.00	28,640	104.00	31,310	114.00	33,247
84.25	25,593	94.25	28,714	104.25	31,369	114.25	33,282
84.50	25,675	94.50	28,786	104.50	31,427	114.50	33,315
84.75	25,757	94.75	28,859	104.75	31,485	114.75	33,348
85.00	25,839	95.00	28,931	105.00	31,543	115.00	33,380
85.25	25,920	95.25	29,003	105.25	31,600	115.25	33,411
85.50	26,002	95.50	29,075	105.50	31,656	115.50	33,441
85.75	26,083	95.75	29,146	105.75	31,713	115.75	33,470
86.00	26,164	96.00	29,217	106.00	31,768	116.00	33,498
86.25	26,245	96.25	29,288	106.25	31,823	116.25	33,525
86.50	26,326	96.50	29,359	106.50	31,878	116.50	33,550
86.75	26,406	96.75	29,429	106.75	31,932	116.75	33,574
87.00	26,487	97.00	29,499	107.00	31,986	117.00	33,597
87.25	26,567	97.25	29,568	107.25	32,039	117.25	33,619
87.50	26,647	97.50	29,637	107.50	32,092	117.50	33,639
87.75	26,726	97.75	29,706	107.75	32,144	117.75	33,657
88.00	26,806	98.00	29,775	108.00	32,195	118.00	33,674
88.25	26,885	98.25	29,843	108.25	32,246	118.25	33,689
88.50	26,964	98.50	29,911	108.50	32,297	118.50	33,701
88.75	27,043	98.75	29,978	108.75	32,347	118.75	33,711
89.00	27,121	99.00	30,046	109.00	32,396	119.00	33,716
89.25	27,199	99.25	30,112	109.25	32,445		
89.50	27,278	99.50	30,179	109.50	32,493		
89.75	27,355	99.75	30,245	109.75	32,541		
90.00	27,433	100.00	30,311	110.00	32,588		

