

**OFOX 34766****Gage Table Information**Reporting Marks: **OFOX 34766**

Trinity File Number: 9156

Capacity: 33,692 Gallons

Tare Weight: 99,300 lb.

Max. Weight On Rail: Not Available

Tank Number: 163

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,368	20.25	3,735	30.25	6,668
0.50	15	10.50	1,418	20.50	3,802	30.50	6,747
0.75	27	10.75	1,468	20.75	3,870	30.75	6,826
1.00	42	11.00	1,519	21.00	3,938	31.00	6,905
1.25	58	11.25	1,571	21.25	4,007	31.25	6,985
1.50	77	11.50	1,623	21.50	4,076	31.50	7,064
1.75	97	11.75	1,676	21.75	4,145	31.75	7,144
2.00	118	12.00	1,729	22.00	4,214	32.00	7,224
2.25	141	12.25	1,782	22.25	4,284	32.25	7,304
2.50	166	12.50	1,837	22.50	4,354	32.50	7,385
2.75	191	12.75	1,891	22.75	4,424	32.75	7,465
3.00	218	13.00	1,946	23.00	4,495	33.00	7,546
3.25	246	13.25	2,002	23.25	4,566	33.25	7,627
3.50	274	13.50	2,058	23.50	4,638	33.50	7,708
3.75	304	13.75	2,115	23.75	4,709	33.75	7,790
4.00	335	14.00	2,172	24.00	4,781	34.00	7,872
4.25	367	14.25	2,229	24.25	4,853	34.25	7,953
4.50	400	14.50	2,287	24.50	4,926	34.50	8,035
4.75	434	14.75	2,346	24.75	4,999	34.75	8,118
5.00	469	15.00	2,404	25.00	5,072	35.00	8,200
5.25	504	15.25	2,464	25.25	5,145	35.25	8,283
5.50	540	15.50	2,523	25.50	5,219	35.50	8,365
5.75	578	15.75	2,584	25.75	5,293	35.75	8,448
6.00	615	16.00	2,644	26.00	5,367	36.00	8,531
6.25	654	16.25	2,705	26.25	5,442	36.25	8,615
6.50	694	16.50	2,767	26.50	5,516	36.50	8,698
6.75	734	16.75	2,829	26.75	5,592	36.75	8,782
7.00	775	17.00	2,891	27.00	5,667	37.00	8,865
7.25	817	17.25	2,953	27.25	5,742	37.25	8,949
7.50	859	17.50	3,016	27.50	5,818	37.50	9,033
7.75	902	17.75	3,080	27.75	5,894	37.75	9,118
8.00	946	18.00	3,144	28.00	5,971	38.00	9,202
8.25	990	18.25	3,208	28.25	6,047	38.25	9,287
8.50	1,035	18.50	3,272	28.50	6,124	38.50	9,371
8.75	1,081	18.75	3,337	28.75	6,201	38.75	9,456
9.00	1,127	19.00	3,403	29.00	6,278	39.00	9,541
9.25	1,174	19.25	3,468	29.25	6,356	39.25	9,627
9.50	1,222	19.50	3,534	29.50	6,434	39.50	9,712
9.75	1,270	19.75	3,601	29.75	6,512	39.75	9,797

**OFOX 34766****Gage Table Information**Reporting Marks: **OFOX 34766**

Trinity File Number: 9156

Capacity: 33,692 Gallons

Tare Weight: 99,300 lb.

Max. Weight On Rail: Not Available

Tank Number: 163

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,969	50.25	13,492	60.25	17,119	70.25	20,738
40.50	10,055	50.50	13,582	60.50	17,210	70.50	20,827
40.75	10,141	50.75	13,672	60.75	17,301	70.75	20,916
41.00	10,227	51.00	13,762	61.00	17,392	71.00	21,005
41.25	10,313	51.25	13,852	61.25	17,483	71.25	21,095
41.50	10,400	51.50	13,942	61.50	17,574	71.50	21,184
41.75	10,486	51.75	14,032	61.75	17,665	71.75	21,273
42.00	10,573	52.00	14,123	62.00	17,756	72.00	21,362
42.25	10,660	52.25	14,213	62.25	17,847	72.25	21,450
42.50	10,747	52.50	14,303	62.50	17,938	72.50	21,539
42.75	10,834	52.75	14,394	62.75	18,029	72.75	21,628
43.00	10,921	53.00	14,484	63.00	18,120	73.00	21,716
43.25	11,008	53.25	14,575	63.25	18,210	73.25	21,805
43.50	11,095	53.50	14,665	63.50	18,301	73.50	21,893
43.75	11,183	53.75	14,756	63.75	18,392	73.75	21,981
44.00	11,271	54.00	14,846	64.00	18,483	74.00	22,070
44.25	11,358	54.25	14,937	64.25	18,574	74.25	22,158
44.50	11,446	54.50	15,028	64.50	18,664	74.50	22,246
44.75	11,534	54.75	15,118	64.75	18,755	74.75	22,334
45.00	11,622	55.00	15,209	65.00	18,846	75.00	22,421
45.25	11,710	55.25	15,300	65.25	18,936	75.25	22,509
45.50	11,799	55.50	15,391	65.50	19,027	75.50	22,596
45.75	11,887	55.75	15,481	65.75	19,117	75.75	22,684
46.00	11,975	56.00	15,572	66.00	19,208	76.00	22,771
46.25	12,064	56.25	15,663	66.25	19,298	76.25	22,858
46.50	12,153	56.50	15,754	66.50	19,389	76.50	22,945
46.75	12,241	56.75	15,845	66.75	19,479	76.75	23,032
47.00	12,330	57.00	15,936	67.00	19,569	77.00	23,119
47.25	12,419	57.25	16,027	67.25	19,659	77.25	23,206
47.50	12,508	57.50	16,118	67.50	19,750	77.50	23,292
47.75	12,597	57.75	16,209	67.75	19,840	77.75	23,379
48.00	12,686	58.00	16,300	68.00	19,930	78.00	23,465
48.25	12,776	58.25	16,391	68.25	20,020	78.25	23,551
48.50	12,865	58.50	16,482	68.50	20,110	78.50	23,637
48.75	12,954	58.75	16,573	68.75	20,200	78.75	23,723
49.00	13,044	59.00	16,664	69.00	20,289	79.00	23,809
49.25	13,133	59.25	16,755	69.25	20,379	79.25	23,895
49.50	13,223	59.50	16,846	69.50	20,469	79.50	23,980
49.75	13,313	59.75	16,937	69.75	20,558	79.75	24,065
50.00	13,402	60.00	17,028	70.00	20,648	80.00	24,151

**OFOX 34766****Gage Table Information**Reporting Marks: **OFOX 34766**

Trinity File Number: 9156

Capacity: 33,692 Gallons

Tare Weight: 99,300 lb.

Max. Weight On Rail: Not Available

Tank Number: 163

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,236	90.25	27,491	100.25	30,354	110.25	32,611
80.50	24,320	90.50	27,568	100.50	30,419	110.50	32,657
80.75	24,405	90.75	27,645	100.75	30,484	110.75	32,702
81.00	24,490	91.00	27,721	101.00	30,548	111.00	32,746
81.25	24,574	91.25	27,798	101.25	30,612	111.25	32,790
81.50	24,658	91.50	27,874	101.50	30,675	111.50	32,833
81.75	24,743	91.75	27,949	101.75	30,738	111.75	32,875
82.00	24,827	92.00	28,025	102.00	30,801	112.00	32,917
82.25	24,910	92.25	28,100	102.25	30,863	112.25	32,958
82.50	24,994	92.50	28,175	102.50	30,925	112.50	32,998
82.75	25,077	92.75	28,250	102.75	30,987	112.75	33,038
83.00	25,161	93.00	28,325	103.00	31,048	113.00	33,076
83.25	25,244	93.25	28,399	103.25	31,108	113.25	33,114
83.50	25,327	93.50	28,473	103.50	31,168	113.50	33,152
83.75	25,409	93.75	28,547	103.75	31,228	113.75	33,188
84.00	25,492	94.00	28,620	104.00	31,287	114.00	33,223
84.25	25,574	94.25	28,693	104.25	31,346	114.25	33,258
84.50	25,657	94.50	28,766	104.50	31,405	114.50	33,292
84.75	25,739	94.75	28,838	104.75	31,463	114.75	33,325
85.00	25,820	95.00	28,911	105.00	31,520	115.00	33,357
85.25	25,902	95.25	28,983	105.25	31,577	115.25	33,387
85.50	25,983	95.50	29,054	105.50	31,634	115.50	33,417
85.75	26,065	95.75	29,126	105.75	31,690	115.75	33,446
86.00	26,146	96.00	29,197	106.00	31,746	116.00	33,474
86.25	26,227	96.25	29,267	106.25	31,801	116.25	33,501
86.50	26,307	96.50	29,338	106.50	31,855	116.50	33,526
86.75	26,388	96.75	29,408	106.75	31,909	116.75	33,550
87.00	26,468	97.00	29,478	107.00	31,963	117.00	33,573
87.25	26,548	97.25	29,547	107.25	32,016	117.25	33,595
87.50	26,628	97.50	29,616	107.50	32,069	117.50	33,615
87.75	26,707	97.75	29,685	107.75	32,121	117.75	33,633
88.00	26,787	98.00	29,754	108.00	32,172	118.00	33,650
88.25	26,866	98.25	29,822	108.25	32,223	118.25	33,665
88.50	26,945	98.50	29,890	108.50	32,274	118.50	33,677
88.75	27,023	98.75	29,957	108.75	32,324	118.75	33,687
89.00	27,102	99.00	30,024	109.00	32,373	119.00	33,692
89.25	27,180	99.25	30,091	109.25	32,422		
89.50	27,258	99.50	30,157	109.50	32,470		
89.75	27,336	99.75	30,223	109.75	32,518		
90.00	27,413	100.00	30,289	110.00	32,564		

