

**OFOX 34767****Gage Table Information**Reporting Marks: **OFOX 34767**

Trinity File Number: 9156

Capacity: 33,702 Gallons

Tare Weight: 99,600 lb.

Max. Weight On Rail: Not Available

Tank Number: 164

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,369	20.25	3,736	30.25	6,671
0.50	15	10.50	1,419	20.50	3,804	30.50	6,749
0.75	27	10.75	1,469	20.75	3,871	30.75	6,828
1.00	42	11.00	1,520	21.00	3,940	31.00	6,908
1.25	59	11.25	1,572	21.25	4,008	31.25	6,987
1.50	77	11.50	1,624	21.50	4,077	31.50	7,067
1.75	97	11.75	1,676	21.75	4,146	31.75	7,146
2.00	119	12.00	1,729	22.00	4,216	32.00	7,226
2.25	142	12.25	1,783	22.25	4,285	32.25	7,307
2.50	166	12.50	1,837	22.50	4,356	32.50	7,387
2.75	191	12.75	1,892	22.75	4,426	32.75	7,468
3.00	218	13.00	1,947	23.00	4,497	33.00	7,549
3.25	246	13.25	2,003	23.25	4,568	33.25	7,630
3.50	275	13.50	2,059	23.50	4,639	33.50	7,711
3.75	305	13.75	2,115	23.75	4,711	33.75	7,792
4.00	336	14.00	2,173	24.00	4,783	34.00	7,874
4.25	368	14.25	2,230	24.25	4,855	34.25	7,956
4.50	400	14.50	2,288	24.50	4,928	34.50	8,038
4.75	434	14.75	2,346	24.75	5,001	34.75	8,120
5.00	469	15.00	2,405	25.00	5,074	35.00	8,203
5.25	504	15.25	2,465	25.25	5,147	35.25	8,285
5.50	541	15.50	2,524	25.50	5,221	35.50	8,368
5.75	578	15.75	2,585	25.75	5,295	35.75	8,451
6.00	616	16.00	2,645	26.00	5,369	36.00	8,534
6.25	655	16.25	2,706	26.25	5,444	36.25	8,617
6.50	694	16.50	2,768	26.50	5,518	36.50	8,701
6.75	734	16.75	2,830	26.75	5,593	36.75	8,784
7.00	775	17.00	2,892	27.00	5,669	37.00	8,868
7.25	817	17.25	2,954	27.25	5,744	37.25	8,952
7.50	860	17.50	3,018	27.50	5,820	37.50	9,036
7.75	903	17.75	3,081	27.75	5,896	37.75	9,121
8.00	946	18.00	3,145	28.00	5,973	38.00	9,205
8.25	991	18.25	3,209	28.25	6,049	38.25	9,290
8.50	1,036	18.50	3,274	28.50	6,126	38.50	9,374
8.75	1,082	18.75	3,339	28.75	6,203	38.75	9,459
9.00	1,128	19.00	3,404	29.00	6,280	39.00	9,544
9.25	1,175	19.25	3,470	29.25	6,358	39.25	9,630
9.50	1,222	19.50	3,536	29.50	6,436	39.50	9,715
9.75	1,271	19.75	3,602	29.75	6,514	39.75	9,800

**OFOX 34767****Gage Table Information**Reporting Marks: **OFOX 34767**

Trinity File Number: 9156

Capacity: 33,702 Gallons

Tare Weight: 99,600 lb.

Max. Weight On Rail: Not Available

Tank Number: 164

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,972	50.25	13,496	60.25	17,124	70.25	20,744
40.50	10,058	50.50	13,586	60.50	17,215	70.50	20,833
40.75	10,144	50.75	13,676	60.75	17,306	70.75	20,923
41.00	10,230	51.00	13,766	61.00	17,397	71.00	21,012
41.25	10,316	51.25	13,856	61.25	17,488	71.25	21,101
41.50	10,403	51.50	13,947	61.50	17,579	71.50	21,190
41.75	10,489	51.75	14,037	61.75	17,670	71.75	21,279
42.00	10,576	52.00	14,127	62.00	17,761	72.00	21,368
42.25	10,663	52.25	14,217	62.25	17,852	72.25	21,457
42.50	10,750	52.50	14,308	62.50	17,943	72.50	21,546
42.75	10,837	52.75	14,398	62.75	18,034	72.75	21,634
43.00	10,924	53.00	14,489	63.00	18,125	73.00	21,723
43.25	11,011	53.25	14,579	63.25	18,216	73.25	21,811
43.50	11,099	53.50	14,670	63.50	18,307	73.50	21,900
43.75	11,186	53.75	14,760	63.75	18,398	73.75	21,988
44.00	11,274	54.00	14,851	64.00	18,488	74.00	22,076
44.25	11,362	54.25	14,941	64.25	18,579	74.25	22,164
44.50	11,450	54.50	15,032	64.50	18,670	74.50	22,252
44.75	11,538	54.75	15,123	64.75	18,761	74.75	22,340
45.00	11,626	55.00	15,214	65.00	18,851	75.00	22,428
45.25	11,714	55.25	15,304	65.25	18,942	75.25	22,516
45.50	11,802	55.50	15,395	65.50	19,032	75.50	22,603
45.75	11,891	55.75	15,486	65.75	19,123	75.75	22,691
46.00	11,979	56.00	15,577	66.00	19,214	76.00	22,778
46.25	12,068	56.25	15,668	66.25	19,304	76.25	22,865
46.50	12,156	56.50	15,759	66.50	19,394	76.50	22,952
46.75	12,245	56.75	15,850	66.75	19,485	76.75	23,039
47.00	12,334	57.00	15,941	67.00	19,575	77.00	23,126
47.25	12,423	57.25	16,032	67.25	19,665	77.25	23,213
47.50	12,512	57.50	16,123	67.50	19,756	77.50	23,299
47.75	12,601	57.75	16,214	67.75	19,846	77.75	23,386
48.00	12,690	58.00	16,305	68.00	19,936	78.00	23,472
48.25	12,780	58.25	16,396	68.25	20,026	78.25	23,558
48.50	12,869	58.50	16,487	68.50	20,116	78.50	23,644
48.75	12,958	58.75	16,578	68.75	20,206	78.75	23,730
49.00	13,048	59.00	16,669	69.00	20,296	79.00	23,816
49.25	13,137	59.25	16,760	69.25	20,385	79.25	23,902
49.50	13,227	59.50	16,851	69.50	20,475	79.50	23,987
49.75	13,317	59.75	16,942	69.75	20,565	79.75	24,073
50.00	13,407	60.00	17,033	70.00	20,654	80.00	24,158

**OFOX 34767****Gage Table Information**Reporting Marks: **OFOX 34767**

Trinity File Number: 9156

Capacity: 33,702 Gallons

Tare Weight: 99,600 lb.

Max. Weight On Rail: Not Available

Tank Number: 164

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,243	90.25	27,499	100.25	30,363	110.25	32,620
80.50	24,328	90.50	27,576	100.50	30,428	110.50	32,666
80.75	24,412	90.75	27,653	100.75	30,493	110.75	32,711
81.00	24,497	91.00	27,730	101.00	30,557	111.00	32,756
81.25	24,582	91.25	27,806	101.25	30,621	111.25	32,799
81.50	24,666	91.50	27,882	101.50	30,685	111.50	32,843
81.75	24,750	91.75	27,958	101.75	30,748	111.75	32,885
82.00	24,834	92.00	28,033	102.00	30,810	112.00	32,927
82.25	24,918	92.25	28,109	102.25	30,873	112.25	32,968
82.50	25,001	92.50	28,184	102.50	30,934	112.50	33,008
82.75	25,085	92.75	28,259	102.75	30,996	112.75	33,047
83.00	25,168	93.00	28,333	103.00	31,057	113.00	33,086
83.25	25,251	93.25	28,407	103.25	31,117	113.25	33,124
83.50	25,334	93.50	28,481	103.50	31,178	113.50	33,161
83.75	25,417	93.75	28,555	103.75	31,237	113.75	33,198
84.00	25,500	94.00	28,628	104.00	31,297	114.00	33,233
84.25	25,582	94.25	28,702	104.25	31,356	114.25	33,268
84.50	25,664	94.50	28,774	104.50	31,414	114.50	33,302
84.75	25,746	94.75	28,847	104.75	31,472	114.75	33,335
85.00	25,828	95.00	28,919	105.00	31,530	115.00	33,366
85.25	25,910	95.25	28,991	105.25	31,587	115.25	33,397
85.50	25,991	95.50	29,063	105.50	31,643	115.50	33,427
85.75	26,072	95.75	29,134	105.75	31,699	115.75	33,456
86.00	26,153	96.00	29,205	106.00	31,755	116.00	33,484
86.25	26,234	96.25	29,276	106.25	31,810	116.25	33,511
86.50	26,315	96.50	29,347	106.50	31,865	116.50	33,536
86.75	26,395	96.75	29,417	106.75	31,919	116.75	33,560
87.00	26,476	97.00	29,487	107.00	31,973	117.00	33,583
87.25	26,556	97.25	29,556	107.25	32,026	117.25	33,605
87.50	26,636	97.50	29,625	107.50	32,078	117.50	33,625
87.75	26,715	97.75	29,694	107.75	32,130	117.75	33,643
88.00	26,795	98.00	29,762	108.00	32,182	118.00	33,660
88.25	26,874	98.25	29,831	108.25	32,233	118.25	33,675
88.50	26,953	98.50	29,898	108.50	32,283	118.50	33,687
88.75	27,031	98.75	29,966	108.75	32,333	118.75	33,697
89.00	27,110	99.00	30,033	109.00	32,383	119.00	33,702
89.25	27,188	99.25	30,100	109.25	32,431		
89.50	27,266	99.50	30,166	109.50	32,480		
89.75	27,344	99.75	30,232	109.75	32,527		
90.00	27,422	100.00	30,298	110.00	32,574		

