



OFOX 34764

Gage Table Information

Reporting Marks: **OFOX 34764**

Trinity File Number: 9156

Capacity: 33,700 Gallons

Tare Weight: 99,700 lb.

Max. Weight On Rail: Not Available

Tank Number: 161

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	5	10.25	1,368	20.25	3,736	30.25	6,670
0.50	14	10.50	1,418	20.50	3,803	30.50	6,749
0.75	27	10.75	1,469	20.75	3,871	30.75	6,828
1.00	42	11.00	1,520	21.00	3,939	31.00	6,907
1.25	58	11.25	1,571	21.25	4,008	31.25	6,986
1.50	77	11.50	1,623	21.50	4,076	31.50	7,066
1.75	97	11.75	1,676	21.75	4,146	31.75	7,146
2.00	118	12.00	1,729	22.00	4,215	32.00	7,226
2.25	141	12.25	1,783	22.25	4,285	32.25	7,306
2.50	165	12.50	1,837	22.50	4,355	32.50	7,386
2.75	191	12.75	1,891	22.75	4,425	32.75	7,467
3.00	218	13.00	1,947	23.00	4,496	33.00	7,548
3.25	245	13.25	2,002	23.25	4,567	33.25	7,629
3.50	274	13.50	2,058	23.50	4,639	33.50	7,710
3.75	304	13.75	2,115	23.75	4,710	33.75	7,792
4.00	335	14.00	2,172	24.00	4,782	34.00	7,873
4.25	367	14.25	2,230	24.25	4,854	34.25	7,955
4.50	400	14.50	2,288	24.50	4,927	34.50	8,037
4.75	434	14.75	2,346	24.75	5,000	34.75	8,119
5.00	468	15.00	2,405	25.00	5,073	35.00	8,202
5.25	504	15.25	2,464	25.25	5,146	35.25	8,284
5.50	540	15.50	2,524	25.50	5,220	35.50	8,367
5.75	577	15.75	2,584	25.75	5,294	35.75	8,450
6.00	615	16.00	2,645	26.00	5,368	36.00	8,533
6.25	654	16.25	2,706	26.25	5,443	36.25	8,616
6.50	694	16.50	2,767	26.50	5,518	36.50	8,700
6.75	734	16.75	2,829	26.75	5,593	36.75	8,784
7.00	775	17.00	2,891	27.00	5,668	37.00	8,867
7.25	817	17.25	2,954	27.25	5,744	37.25	8,951
7.50	859	17.50	3,017	27.50	5,819	37.50	9,035
7.75	902	17.75	3,080	27.75	5,896	37.75	9,120
8.00	946	18.00	3,144	28.00	5,972	38.00	9,204
8.25	990	18.25	3,208	28.25	6,048	38.25	9,289
8.50	1,035	18.50	3,273	28.50	6,125	38.50	9,374
8.75	1,081	18.75	3,338	28.75	6,202	38.75	9,458
9.00	1,127	19.00	3,403	29.00	6,280	39.00	9,543
9.25	1,174	19.25	3,469	29.25	6,357	39.25	9,629
9.50	1,222	19.50	3,535	29.50	6,435	39.50	9,714
9.75	1,270	19.75	3,602	29.75	6,513	39.75	9,800

10.00

1,319



20.00

3,668



30.00

6,591



40.00

9,885



OFOX 34764

Gage Table Information

Reporting Marks: **OFOX 34764**

Trinity File Number: 9156

Capacity: 33,700 Gallons

Tare Weight: 99,700 lb.

Max. Weight On Rail: Not Available

Tank Number: 161

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,971	50.25	13,495	60.25	17,123	70.25	20,742
40.50	10,057	50.50	13,585	60.50	17,214	70.50	20,832
40.75	10,143	50.75	13,675	60.75	17,305	70.75	20,921
41.00	10,229	51.00	13,765	61.00	17,396	71.00	21,010
41.25	10,315	51.25	13,855	61.25	17,487	71.25	21,100
41.50	10,402	51.50	13,945	61.50	17,578	71.50	21,189
41.75	10,488	51.75	14,036	61.75	17,669	71.75	21,278
42.00	10,575	52.00	14,126	62.00	17,760	72.00	21,367
42.25	10,662	52.25	14,216	62.25	17,851	72.25	21,455
42.50	10,749	52.50	14,307	62.50	17,942	72.50	21,544
42.75	10,836	52.75	14,397	62.75	18,033	72.75	21,633
43.00	10,923	53.00	14,487	63.00	18,124	73.00	21,721
43.25	11,011	53.25	14,578	63.25	18,215	73.25	21,810
43.50	11,098	53.50	14,669	63.50	18,306	73.50	21,898
43.75	11,186	53.75	14,759	63.75	18,396	73.75	21,987
44.00	11,273	54.00	14,850	64.00	18,487	74.00	22,075
44.25	11,361	54.25	14,940	64.25	18,578	74.25	22,163
44.50	11,449	54.50	15,031	64.50	18,669	74.50	22,251
44.75	11,537	54.75	15,122	64.75	18,759	74.75	22,339
45.00	11,625	55.00	15,213	65.00	18,850	75.00	22,426
45.25	11,713	55.25	15,303	65.25	18,941	75.25	22,514
45.50	11,801	55.50	15,394	65.50	19,031	75.50	22,602
45.75	11,890	55.75	15,485	65.75	19,122	75.75	22,689
46.00	11,978	56.00	15,576	66.00	19,212	76.00	22,776
46.25	12,067	56.25	15,667	66.25	19,303	76.25	22,864
46.50	12,155	56.50	15,758	66.50	19,393	76.50	22,951
46.75	12,244	56.75	15,849	66.75	19,483	76.75	23,038
47.00	12,333	57.00	15,940	67.00	19,574	77.00	23,125
47.25	12,422	57.25	16,031	67.25	19,664	77.25	23,211
47.50	12,511	57.50	16,122	67.50	19,754	77.50	23,298
47.75	12,600	57.75	16,213	67.75	19,844	77.75	23,384
48.00	12,689	58.00	16,304	68.00	19,934	78.00	23,471
48.25	12,779	58.25	16,395	68.25	20,024	78.25	23,557
48.50	12,868	58.50	16,486	68.50	20,114	78.50	23,643
48.75	12,957	58.75	16,577	68.75	20,204	78.75	23,729
49.00	13,047	59.00	16,668	69.00	20,294	79.00	23,815
49.25	13,136	59.25	16,759	69.25	20,384	79.25	23,900
49.50	13,226	59.50	16,850	69.50	20,474	79.50	23,986
49.75	13,316	59.75	16,941	69.75	20,563	79.75	24,071
50.00	13,406	60.00	17,032	70.00	20,653	80.00	24,156



OFOX 34764

Gage Table Information

Reporting Marks: **OFOX 34764**

Trinity File Number: 9156

Capacity: 33,700 Gallons

Tare Weight: 99,700 lb.

Max. Weight On Rail: Not Available

Tank Number: 161

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,241	90.25	27,497	100.25	30,362	110.25	32,619
80.50	24,326	90.50	27,574	100.50	30,427	110.50	32,664
80.75	24,411	90.75	27,651	100.75	30,491	110.75	32,709
81.00	24,496	91.00	27,728	101.00	30,555	111.00	32,754
81.25	24,580	91.25	27,804	101.25	30,619	111.25	32,798
81.50	24,664	91.50	27,880	101.50	30,683	111.50	32,841
81.75	24,748	91.75	27,956	101.75	30,746	111.75	32,883
82.00	24,832	92.00	28,032	102.00	30,808	112.00	32,925
82.25	24,916	92.25	28,107	102.25	30,871	112.25	32,966
82.50	25,000	92.50	28,182	102.50	30,933	112.50	33,006
82.75	25,083	92.75	28,257	102.75	30,994	112.75	33,045
83.00	25,167	93.00	28,331	103.00	31,055	113.00	33,084
83.25	25,250	93.25	28,406	103.25	31,116	113.25	33,122
83.50	25,333	93.50	28,480	103.50	31,176	113.50	33,159
83.75	25,415	93.75	28,553	103.75	31,236	113.75	33,196
84.00	25,498	94.00	28,627	104.00	31,295	114.00	33,231
84.25	25,580	94.25	28,700	104.25	31,354	114.25	33,266
84.50	25,663	94.50	28,773	104.50	31,412	114.50	33,300
84.75	25,745	94.75	28,845	104.75	31,470	114.75	33,333
85.00	25,826	95.00	28,918	105.00	31,528	115.00	33,364
85.25	25,908	95.25	28,989	105.25	31,585	115.25	33,395
85.50	25,989	95.50	29,061	105.50	31,641	115.50	33,425
85.75	26,071	95.75	29,133	105.75	31,697	115.75	33,454
86.00	26,152	96.00	29,204	106.00	31,753	116.00	33,482
86.25	26,233	96.25	29,274	106.25	31,808	116.25	33,509
86.50	26,313	96.50	29,345	106.50	31,863	116.50	33,534
86.75	26,394	96.75	29,415	106.75	31,917	116.75	33,558
87.00	26,474	97.00	29,485	107.00	31,971	117.00	33,581
87.25	26,554	97.25	29,554	107.25	32,024	117.25	33,603
87.50	26,634	97.50	29,623	107.50	32,076	117.50	33,623
87.75	26,714	97.75	29,692	107.75	32,129	117.75	33,641
88.00	26,793	98.00	29,761	108.00	32,180	118.00	33,658
88.25	26,872	98.25	29,829	108.25	32,231	118.25	33,673
88.50	26,951	98.50	29,897	108.50	32,282	118.50	33,685
88.75	27,030	98.75	29,964	108.75	32,331	118.75	33,695
89.00	27,108	99.00	30,031	109.00	32,381	119.00	33,700
89.25	27,187	99.25	30,098	109.25	32,430		
89.50	27,265	99.50	30,165	109.50	32,478		
89.75	27,342	99.75	30,231	109.75	32,525		
90.00	27,420	100.00	30,296	110.00	32,572		

