

**OFOX 34757****Gage Table Information**Reporting Marks: **OFOX 34757**

Trinity File Number: 9156

Capacity: 33,735 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 154

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
0.25	6	10.25	1,370	20.25	3,740	30.25	6,677
0.50	15	10.50	1,420	20.50	3,808	30.50	6,756
0.75	28	10.75	1,471	20.75	3,875	30.75	6,835
1.00	42	11.00	1,522	21.00	3,944	31.00	6,915
1.25	59	11.25	1,573	21.25	4,012	31.25	6,994
1.50	77	11.50	1,626	21.50	4,081	31.50	7,074
1.75	97	11.75	1,678	21.75	4,150	31.75	7,154
2.00	119	12.00	1,731	22.00	4,220	32.00	7,234
2.25	142	12.25	1,785	22.25	4,290	32.25	7,314
2.50	166	12.50	1,839	22.50	4,360	32.50	7,395
2.75	192	12.75	1,894	22.75	4,431	32.75	7,475
3.00	219	13.00	1,949	23.00	4,501	33.00	7,556
3.25	246	13.25	2,005	23.25	4,573	33.25	7,637
3.50	275	13.50	2,061	23.50	4,644	33.50	7,719
3.75	305	13.75	2,118	23.75	4,716	33.75	7,800
4.00	336	14.00	2,175	24.00	4,788	34.00	7,882
4.25	368	14.25	2,232	24.25	4,860	34.25	7,964
4.50	401	14.50	2,291	24.50	4,933	34.50	8,046
4.75	435	14.75	2,349	24.75	5,006	34.75	8,128
5.00	470	15.00	2,408	25.00	5,079	35.00	8,211
5.25	505	15.25	2,467	25.25	5,152	35.25	8,293
5.50	542	15.50	2,527	25.50	5,226	35.50	8,376
5.75	579	15.75	2,587	25.75	5,300	35.75	8,459
6.00	617	16.00	2,648	26.00	5,375	36.00	8,543
6.25	656	16.25	2,709	26.25	5,449	36.25	8,626
6.50	695	16.50	2,771	26.50	5,524	36.50	8,709
6.75	735	16.75	2,833	26.75	5,599	36.75	8,793
7.00	776	17.00	2,895	27.00	5,675	37.00	8,877
7.25	818	17.25	2,958	27.25	5,750	37.25	8,961
7.50	861	17.50	3,021	27.50	5,826	37.50	9,045
7.75	904	17.75	3,084	27.75	5,902	37.75	9,130
8.00	948	18.00	3,148	28.00	5,979	38.00	9,214
8.25	992	18.25	3,212	28.25	6,055	38.25	9,299
8.50	1,037	18.50	3,277	28.50	6,132	38.50	9,384
8.75	1,083	18.75	3,342	28.75	6,209	38.75	9,469
9.00	1,129	19.00	3,408	29.00	6,287	39.00	9,554
9.25	1,176	19.25	3,473	29.25	6,365	39.25	9,639
9.50	1,224	19.50	3,539	29.50	6,442	39.50	9,725
9.75	1,272	19.75	3,606	29.75	6,521	39.75	9,810

**OFOX 34757****Gage Table Information**Reporting Marks: **OFOX 34757**

Trinity File Number: 9156

Capacity: 33,735 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 154

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
40.25	9,982	50.25	13,510	60.25	17,141	70.25	20,764
40.50	10,068	50.50	13,600	60.50	17,232	70.50	20,854
40.75	10,154	50.75	13,690	60.75	17,323	70.75	20,943
41.00	10,240	51.00	13,780	61.00	17,414	71.00	21,032
41.25	10,327	51.25	13,870	61.25	17,506	71.25	21,122
41.50	10,413	51.50	13,960	61.50	17,597	71.50	21,211
41.75	10,500	51.75	14,051	61.75	17,688	71.75	21,300
42.00	10,587	52.00	14,141	62.00	17,779	72.00	21,389
42.25	10,674	52.25	14,231	62.25	17,870	72.25	21,478
42.50	10,761	52.50	14,322	62.50	17,961	72.50	21,567
42.75	10,848	52.75	14,412	62.75	18,052	72.75	21,656
43.00	10,935	53.00	14,503	63.00	18,143	73.00	21,744
43.25	11,022	53.25	14,593	63.25	18,234	73.25	21,833
43.50	11,110	53.50	14,684	63.50	18,325	73.50	21,921
43.75	11,198	53.75	14,775	63.75	18,416	73.75	22,010
44.00	11,285	54.00	14,865	64.00	18,507	74.00	22,098
44.25	11,373	54.25	14,956	64.25	18,597	74.25	22,186
44.50	11,461	54.50	15,047	64.50	18,688	74.50	22,274
44.75	11,549	54.75	15,138	64.75	18,779	74.75	22,362
45.00	11,637	55.00	15,229	65.00	18,870	75.00	22,450
45.25	11,726	55.25	15,320	65.25	18,961	75.25	22,538
45.50	11,814	55.50	15,410	65.50	19,051	75.50	22,625
45.75	11,903	55.75	15,501	65.75	19,142	75.75	22,713
46.00	11,991	56.00	15,592	66.00	19,232	76.00	22,800
46.25	12,080	56.25	15,683	66.25	19,323	76.25	22,888
46.50	12,169	56.50	15,774	66.50	19,413	76.50	22,975
46.75	12,257	56.75	15,865	66.75	19,504	76.75	23,062
47.00	12,346	57.00	15,956	67.00	19,594	77.00	23,149
47.25	12,435	57.25	16,048	67.25	19,685	77.25	23,235
47.50	12,524	57.50	16,139	67.50	19,775	77.50	23,322
47.75	12,614	57.75	16,230	67.75	19,865	77.75	23,409
48.00	12,703	58.00	16,321	68.00	19,955	78.00	23,495
48.25	12,792	58.25	16,412	68.25	20,045	78.25	23,581
48.50	12,882	58.50	16,503	68.50	20,136	78.50	23,668
48.75	12,971	58.75	16,594	68.75	20,226	78.75	23,754
49.00	13,061	59.00	16,685	69.00	20,315	79.00	23,839
49.25	13,150	59.25	16,777	69.25	20,405	79.25	23,925
49.50	13,240	59.50	16,868	69.50	20,495	79.50	24,011
49.75	13,330	59.75	16,959	69.75	20,585	79.75	24,096
50.00	13,420	60.00	17,050	70.00	20,675	80.00	24,181

**OFOX 34757****Gage Table Information**Reporting Marks: **OFOX 34757**

Trinity File Number: 9156

Capacity: 33,735 Gallons

Tare Weight: 99,900 lb.

Max. Weight On Rail: Not Available

Tank Number: 154

Table Created: 11/21/2002

Operating Stencil: 112J340W

Gage Table Type : This gage table shows OUTAGE volumes (volumes of vapor space above the liquid surface). Distances shown are measured downward from the shell-full (zero outage) level to the surface of the liquid. This is from the inside top of the tank for most tank cars and from the bottom of the manway for most compartment tanks.

DISCLAIMER: Internet gage tables are provided as a convenience to our customers and their suppliers and customers. Trinity makes no representation or warranty, expressed or implied, as to the gage tables, and specifically the warranties of merchantability or fitness for any particular purpose or use, and all other warranties, express, statutory or implied. In no event shall Trinity be liable for any direct or indirect damages, lost profits, incidental, special or consequential damages resulting from the use of the gage tables and you agree that the law of the State of Texas shall govern the use of the gauge tables (exclusive of its conflict of laws principles) as evidenced by your use of said tables.

Inches	Gallons	Inches	Gallons	Inches	Gallons	Inches	Gallons
80.25	24,267	90.25	27,526	100.25	30,393	110.25	32,652
80.50	24,352	90.50	27,603	100.50	30,458	110.50	32,698
80.75	24,436	90.75	27,680	100.75	30,523	110.75	32,743
81.00	24,521	91.00	27,757	101.00	30,587	111.00	32,788
81.25	24,606	91.25	27,833	101.25	30,651	111.25	32,832
81.50	24,690	91.50	27,909	101.50	30,715	111.50	32,875
81.75	24,774	91.75	27,985	101.75	30,778	111.75	32,917
82.00	24,858	92.00	28,061	102.00	30,840	112.00	32,959
82.25	24,942	92.25	28,136	102.25	30,903	112.25	33,000
82.50	25,026	92.50	28,211	102.50	30,965	112.50	33,040
82.75	25,109	92.75	28,286	102.75	31,026	112.75	33,080
83.00	25,193	93.00	28,361	103.00	31,087	113.00	33,119
83.25	25,276	93.25	28,435	103.25	31,148	113.25	33,157
83.50	25,359	93.50	28,509	103.50	31,208	113.50	33,194
83.75	25,442	93.75	28,583	103.75	31,268	113.75	33,230
84.00	25,524	94.00	28,656	104.00	31,327	114.00	33,266
84.25	25,607	94.25	28,730	104.25	31,386	114.25	33,300
84.50	25,689	94.50	28,803	104.50	31,445	114.50	33,334
84.75	25,771	94.75	28,875	104.75	31,503	114.75	33,367
85.00	25,853	95.00	28,948	105.00	31,560	115.00	33,399
85.25	25,935	95.25	29,020	105.25	31,618	115.25	33,430
85.50	26,017	95.50	29,091	105.50	31,674	115.50	33,460
85.75	26,098	95.75	29,163	105.75	31,730	115.75	33,489
86.00	26,179	96.00	29,234	106.00	31,786	116.00	33,517
86.25	26,260	96.25	29,305	106.25	31,841	116.25	33,544
86.50	26,341	96.50	29,375	106.50	31,896	116.50	33,569
86.75	26,421	96.75	29,445	106.75	31,950	116.75	33,593
87.00	26,502	97.00	29,515	107.00	32,004	117.00	33,616
87.25	26,582	97.25	29,585	107.25	32,057	117.25	33,638
87.50	26,662	97.50	29,654	107.50	32,110	117.50	33,658
87.75	26,741	97.75	29,723	107.75	32,162	117.75	33,676
88.00	26,821	98.00	29,792	108.00	32,213	118.00	33,693
88.25	26,900	98.25	29,860	108.25	32,265	118.25	33,708
88.50	26,979	98.50	29,928	108.50	32,315	118.50	33,720
88.75	27,058	98.75	29,995	108.75	32,365	118.75	33,730
89.00	27,136	99.00	30,062	109.00	32,414	119.00	33,735
89.25	27,215	99.25	30,129	109.25	32,463		
89.50	27,293	99.50	30,196	109.50	32,511		
89.75	27,371	99.75	30,262	109.75	32,559		
90.00	27,448	100.00	30,328	110.00	32,606		

